

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 338 LAPUA ACKLEY IMPROVED TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 338 LAPUA ACKLEY IMPROVED TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028209
- Mfr. No.: LCG-WFT2-338 LA
- Cartridge: 338 Lapua
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for WFT 2 Trimmer
- About Us

Safety Instruction Guide for WFT 2 Trimmer

Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This guide provides essential safety instructions to ensure the safe and effective use of your trimmer. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that you understand all safety instructions before using the WFT 2 Trimmer.
- Always use the trimmer in a welllit area to enhance visibility.
- Keep the work area clean and free from clutter to prevent accidents.
- Store the trimmer and its components in a safe place, out of reach of children and pets.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when operating the trimmer.
- Do not operate the trimmer if you are tired, under the influence of drugs or alcohol, or distracted.
- Regularly inspect the trimmer for any signs of damage or wear before use. Do not use a damaged trimmer.

Specific Safety Precautions for Use

- Ensure that the trimmer is securely attached to a compatible halfinch chuck before use.
- Do not attempt to modify the trimmer or its components in any way.
- Use only the recommended trim chambers for your specific cartridge to avoid accidents.
- Always keep hands and other body parts away from the cutter while in operation.
- Do not attempt to remove or change the trim chamber while the trimmer is in operation.
- When changing trim chambers, ensure the trimmer is unplugged or the power is off.
- Follow the instructions for cutter depth adjustment carefully to avoid improper trimming.

Instructions for Installation and Usage

1. Installation of Trim Chamber:

- Place the trim chamber on a flat surface.
- Align the housing with the trim chamber.
- Steadily push the housing onto the trim chamber until it is securely in place.

2. Setting the Cutter Depth:

- Insert a “master case” into the trim chamber.
- Slide the cutter up to the case mouth.
- Tighten the set screws to secure the cutter in position.

3. Trimming Process:

- Ensure the trimmer is powered on and securely mounted.
- Insert the cartridge case into the trim chamber.
- Operate the trimmer to begin the trimming process.
- After trimming, remove the cartridge case and inspect for accuracy.

4. Changing Trim Chambers:

- Unplug the trimmer or turn off the power.

- Remove the cutter by loosening the set screws.
- Use the provided knockout dowel to push out the trim chamber.
- Follow the installation steps to install the new trim chamber.

Disposal Instructions

- Dispose of the trimmer and its components in accordance with local regulations.
- Do not dispose of electrical components in regular household waste.
- Consider recycling options where available to minimize environmental impact.

Contact Information for Further Support

For any safety inquiries or support regarding the WFT 2 Trimmer, please refer to the manufacturer's website or reach out to your retailer.

Thank you for your attention to these safety instructions. By following these guidelines, you can ensure a safe and effective experience with your WFT 2 Trimmer.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk