

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 338-06 TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 338-06 TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028211
- Mfr. No.: LCG-WFT2-338/06
- Cartridge: 338-06
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

Item details

Made in USA

Table of Contents

- Startpage
- WFT 2 Trimmer Safety Instruction Guide
- About Us

WFT 2 Trimmer Safety Instruction Guide

Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your trimmer. Please read this manual carefully before using the product to avoid any potential hazards.

General Safety Guidelines

- Ensure that you read and understand all instructions before operating the WFT 2 Trimmer.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the trimmer.
- Keep the work area clean and welllit to prevent accidents.
- Ensure that all tools and accessories are in good condition and suitable for use with the WFT 2 Trimmer.
- Do not allow children or untrained individuals to operate the trimmer.
- Regularly inspect the trimmer for any signs of wear or damage. Do not use if damaged.
- Follow all local regulations regarding the use of trimming equipment.

Specific Safety Precautions for Use

- Always ensure that the trimmer is turned off and unplugged before changing trim chambers or making any adjustments.
- Use the provided knockout dowel to remove and install trim chambers safely.
- Ensure that the cutter is securely tightened before use to prevent it from loosening during operation.
- Do not attempt to modify or alter the trimmer in any way. This can lead to unsafe conditions.
- Avoid wearing loose clothing or jewelry that may become caught in the trimmer during operation.
- Keep hands and other body parts away from moving parts while the trimmer is in operation.
- If you experience any unusual noise or vibration during use, stop immediately and inspect the trimmer.

Instructions for Installation and Usage

1. Installation of Trim Chamber:

- Place the trim chamber on a flat surface.
- Align the housing with the trim chamber.
- Steadily push the housing onto the trim chamber until secure.

2. Setting Cutter Depth:

- Insert a "master case" into the trim chamber.
- Slide the cutter up to the case mouth.
- Tighten down the set screws to secure the cutter in position.

3. Trimming Process:

- Ensure the trimmer is securely mounted in a halfinch chuck.
- Power on the trimmer and begin the trimming process.
- Monitor the trimming closely to ensure precision and safety.

4. Changing Trim Chambers:

- Turn off the trimmer and unplug it.
- Remove the cutter using the appropriate tool.

- Use the knockout dowel to push out the trim chamber.
- Follow the installation steps to insert the new trim chamber.

Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling guidelines.
- When the WFT 2 Trimmer reaches the end of its life cycle, dispose of it responsibly. Check with local waste management authorities for proper disposal methods for electronic and mechanical devices.

Contact Information for Further Support

For any inquiries or support regarding the WFT 2 Trimmer, please refer to the contact information provided with your purchase.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your WFT 2 Trimmer. Always prioritize safety and do not hesitate to seek assistance if needed. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk