

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 416 REMINGTON MAGNUM TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 416 REMINGTON MAGNUM TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028222
- Mfr. No.: LCGWFT2416RE
- Cartridge: 416 Remington Mag
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

Item details

Made in USA

Table of Contents

- Startpage
- WFT 2 Trimmer Safety Instructions
- About Us

WFT 2 Trimmer Safety Instructions

Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This guide provides important safety information, general guidelines, and instructions to ensure safe and effective use of your trimmer. Please read this manual carefully before using the product.

General Safety Guidelines

- Ensure the trimmer is used only for its intended purpose, which is trimming cartridge cases.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and hearing protection.
- Keep the trimmer out of reach of children and vulnerable individuals.
- Inspect the trimmer and its components before each use to ensure they are in good condition.
- Do not attempt to modify or alter the trimmer in any way.
- If you notice any damage or malfunction, cease use immediately and contact customer support.

Specific Safety Precautions for Use

- Always work in a wellventilated area to avoid inhalation of any particles generated during trimming.
- Ensure that the trimmer is securely mounted or held in a stable position during use.
- Keep hands and other body parts away from moving parts while the trimmer is in operation.
- Use the provided knockout dowel for changing trim chambers to avoid injury.
- Do not exceed the recommended trimming capacity of the trimmer (up to 45 caliber).
- Avoid wearing loose clothing or jewelry that could become caught in the trimmer.

Instructions for Installation and Usage

Installation

1. **Prepare the Workspace:** Ensure your workspace is clean and free of any debris.
2. **Mount the Trimmer:** Secure the trimmer in a vice or other stable holder, ensuring it is firmly in place.
3. **Install Trim Chamber:**
 - Place the trim chamber on a flat surface.
 - Push the housing onto the trim chamber until it is securely fitted.
4. **Set Cutter Depth:**
 - Insert a “master case” into the trim chamber.
 - Slide the cutter up to the case mouth.
 - Tighten the set screws to lock the cutter in place.

Usage

1. **Trimming Process:**
 - Insert the cartridge case into the trim chamber.
 - Activate the trimmer using a halfinch chuck to drive the shaft.
 - Ensure the trimming is precise and clean; check the trimmed case for accuracy.
2. **Changing Trim Chambers:**
 - Remove the cutter from the trimmer.
 - Use the knockout dowel to push out the trim chamber.
 - Follow the installation instructions to replace it with a different trim chamber if needed.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- When the trimmer reaches the end of its life, dispose of it responsibly. Contact your local waste management facility for proper disposal methods.
- Do not dispose of the trimmer in household waste. Follow electronic waste disposal guidelines if applicable.

Contact Information for Further Support

For any safety inquiries, product support, or to report unsafe conditions, please refer to the contact details provided on the product packaging or visit the manufacturer's website.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your WFT 2 Trimmer. Your safety is our priority. Thank you for your attention and commitment to safe handling practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk