

# **WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 6.5X50MM JAPANESE TRIM CHAMBER**

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



## **Attributes**

- Name: [LITTLE CROW GUNWORKS. 6.5X50MM JAPANESE TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028227
- Mfr. No.: LCGWFT265JA
- Cartridge: 6.5 x 50 mm Japanese Arisaka
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- WFT 2 Trimmer Safety Instruction Guide
- About Us

# WFT 2 Trimmer Safety Instruction Guide

## Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This guide provides essential safety instructions and usage information to ensure your experience with the product is safe and effective. Please read this guide carefully before using the trimmer.

## General Safety Guidelines

- Ensure that you read and understand all instructions before using the WFT 2 Trimmer.
- Keep the trimmer and its components out of reach of children and vulnerable individuals.
- Always inspect the trimmer for damage or wear before use. Do not use if damaged.
- Use the trimmer only for its intended purpose as described in this guide.
- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when operating the trimmer.
- Do not operate the trimmer in wet or damp conditions to avoid electrical hazards.
- Ensure that the work area is clean and welllit to prevent accidents.
- Always disconnect the trimmer from the power source before changing trim chambers or performing maintenance.

## Specific Safety Precautions for Use

- **Trimmer Operation:**
  - Always secure the trimmer in a stable position before use.
  - Do not place hands near the cutter while the trimmer is in operation.
  - Avoid wearing loose clothing or jewelry that could become entangled in the trimmer.
- **Trim Chamber Changes:**
  - Follow the instructions provided for changing trim chambers carefully.
  - Use the provided knockout dowel to remove the trim chamber safely.
  - Ensure that the trim chamber is properly seated before use.
- **Cutter Depth Adjustment:**
  - Use a “master case” to set the cutter depth accurately.
  - Ensure that the cutter is tightened securely before operation to prevent movement during use.

## Instructions for Installation and Usage

### 1. Installation of Trim Chamber:

- Place the trim chamber on a flat surface.
- Align the housing with the trim chamber.
- Steadily push the housing onto the trim chamber until it is securely in place.

### 2. Setting Cutter Depth:

- Insert a “master case” into the trim chamber.
- Slide the cutter up to the case mouth.
- Tighten the set screws to secure the cutter in position.

### 3. Trimming Process:

- Ensure the trimmer is connected to a compatible halfinch chuck.
- Power on the trimmer and begin the trimming process.
- Monitor the trimming closely to ensure clean and precise results.

#### 4. PostUse Maintenance:

- Disconnect the trimmer from the power source after use.
- Clean the trimmer and trim chamber to remove any debris.
- Store the trimmer in a dry, secure location away from children and pets.

## Disposal Instructions

- Dispose of the WFT 2 Trimmer and its components in accordance with local regulations.
- Do not dispose of electrical components in regular household waste.
- Contact your local waste management facility for guidance on proper disposal methods.

## Contact Information for Further Support

For any safety inquiries, product support, or to report unsafe conditions, please reach out to the appropriate local authority or consumer safety organization in your area.

Thank you for your attention to these safety instructions. Your safety is our priority, and we hope you enjoy using the WFT 2 Trimmer.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)