

CENTURY AK LOWER RAIL OPTIC MOUNT - RS REGULATE CENTURY C39V2, RAS47 FULL-LENGTH LOWER RAIL

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The Foundation of a Rock-Solid Red Dot Sight Installation on Your Century AK

The AK-309M Century Lower Optic Mount extends the benefit of RS Regulate's modular AK-47 optic system to Century Arms C39V2 and RAS47. These rifles have a proprietary side rail that makes won't accept RS's other "lower" optic mounts. But now that problem is solved! With the AK-309M you can install a modern, up-to-date red dot optic on your Century AK. The RS AK-300 system pairs a "lower" mount that attaches to the side rail of a Kalashnikov pattern rifle with an "upper" mount that interfaces with a specific optic model. This system makes it possible to securely - and precisely - mount popular AR-15 tactical optics on an AK platform rifle. The RS Regulate mounting system is purposely designed not to require replacement of actual components on the rifle. More importantly, it will NOT interfere with the reliable operation of the rifle. A low-profile Titanium locking clamp grabs the rail tightly, and does not protrude from the mount or interfere with the triggerguard. Lightweight & strong 6061 T6 aluminum construction Durable matte black hardcoat anodized finish Installation hardware included Fits Century Arms C39V2 and RAS47 rifles with full-length side rails ONLY Optic-specific upper mount required, sold separately Once matched with an upper mount, the AK-309M Century lower optic mount allows the user to adjust both the over-bore height and front-to-back position of the optic to ensure it is placed for perfect eye relief and a comfortable head position.



Attributes

- Name: [RS REGULATE CENTURY C39V2, RAS47 FULL-LENGTH LOWER RAIL](#)
- Manufacturer: [RS REGULATE](#)
- Product no.: 100028367
- Mfr. No.: AK-309M
- Colour: Matte Black
- Model: C39V2
- Number of Bases: 1-Piece
- Style: Quick Detach
- Weapon type: Century Arms
- Delivery weight: 0.136kg
- Shipping height: 32mm
- Shipping width: 83mm
- Shipping length: 197mm
- UPC: 617395300174

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for CENTURY AK LOWER RAIL OPTIC MOUNT RS REGULATE CENTURY C39V2, RAS47 FULLLENGTH LOWER RAIL
- About Us

Safety Instruction Guide for CENTURY AK LOWER RAIL OPTIC MOUNT RS REGULATE CENTURY C39V2, RAS47 FULLLENGTH LOWER RAIL

Introduction

Thank you for purchasing the CENTURY AK LOWER RAIL OPTIC MOUNT. This guide provides essential safety instructions to ensure the safe use and installation of your optic mount. Please read this guide carefully before use to ensure proper handling and operation.

General Safety Guidelines

- Ensure that the optic mount is compatible with your specific rifle model (Century Arms C39V2 and RAS47).
- Always inspect the optic mount for any signs of damage or wear before installation.
- Use the optic mount only for its intended purpose as specified in this guide.
- Keep the optic mount and all components out of reach of children and vulnerable individuals.
- In case of any accidents or malfunctions, report them to the appropriate authorities.

Specific Safety Precautions for Use

- Do not exceed the weight limit of the optic mount. Ensure the optic you are using is within the specified limits.
- Avoid modifying the optic mount or the rifle in any way that could compromise safety or functionality.
- Ensure that all installation hardware is secure before using the rifle with the optic mount attached.
- Be aware of your surroundings and ensure safe handling of the rifle while using the optic mount.
- Regularly check the tightness of the mount and hardware to prevent loosening during use.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and installation hardware.
- Ensure that the rifle is unloaded and pointed in a safe direction.

2. Installation Steps

- Locate the proprietary side rail on your Century Arms C39V2 or RAS47 rifle.
- Align the AK309M lower optic mount with the side rail.
- Securely attach the mount using the provided installation hardware.
- Ensure that the lowprofile Titanium locking clamp is properly tightened and does not protrude or interfere with the triggerguard.

3. Optic Attachment

- Select the appropriate opticspecific upper mount (sold separately).
- Attach the upper mount to the AK309M lower optic mount.
- Adjust the overbore height and fronttoback position of the optic to ensure proper eye relief and comfortable head position.

4. Final Checks

- Doublecheck that all components are secure before use.
- Perform a function check to ensure that the rifle operates correctly with the optic mount installed.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the optic mount is no longer in use, dispose of it responsibly. Check with local authorities for proper disposal methods for metal and plastic components.

Contact Information for Further Support

For additional assistance or inquiries regarding safety, please refer to the manufacturer's contact information provided with your product packaging or visit the manufacturer's website.

Conclusion

Your safety is our priority. By following these guidelines, you can ensure the safe and effective use of the CENTURY AK LOWER RAIL OPTIC MOUNT. Thank you for choosing our product, and we wish you a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk