

HYBRID HP SUPERIOR PLATED 45 CALIBER (0.452") BULLETS - BERRYS MANUFACTURING 45 CALIBER (0.452") 230GR HYBRID HOLLOW POINT 250/BOX

[Reloading](#) > [Bullets](#) > [Pistol Bullets](#)

Berry's Superior Plated Bullets are swaged and plated to final weight and re-struck for accuracy and precision. They are more affordable than jacketed rounds and won't foul your barrel with lead. SAAMI MAX COL=1.275". Recommended velocity=825-975 fps.



Attributes

- Name: [BERRYS MANUFACTURING 45 CALIBER \(0.452" \) 230GR HYBRID HOLLOW POINT 250/BOX](#)
- Manufacturer: [BERRYS MANUFACTURING](#)
- Product no.: 100029097
- Mfr. No.: 1225
- Bullet Style: Hybrid Hollow Point (HHP)
- Caliber: 45 Caliber
- Diameter (in): 0.452
- Grain: 230
- Quantity: 250
- Delivery weight: 3.839kg
- Shipping height: 70mm
- Shipping width: 84mm
- Shipping length: 143mm
- UPC: 711148012250

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for HYBRID HP SUPERIOR PLATED 45 CALIBER \(0.452"\) BULLETS](#)
- [About Us](#)

Safety Instruction Guide for HYBRID HP SUPERIOR PLATED 45 CALIBER (0.452") BULLETS

Introduction

Thank you for choosing Berry's Superior Plated Bullets. This guide provides essential safety instructions and guidelines to ensure safe handling and usage of the product. Please read this document carefully before use.

General Safety Guidelines

- Always handle ammunition with care and respect.
- Store bullets in a cool, dry place away from direct sunlight and moisture.
- Keep bullets out of reach of children and unauthorized individuals.
- Use appropriate personal protective equipment (PPE) when handling bullets, including safety glasses and gloves.
- Follow all local laws and regulations regarding the use and storage of ammunition.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that your firearm is compatible with .45 caliber (0.452") bullets before use.
- Inspect bullets for any visible damage before loading.
- Do not exceed the recommended velocity of 825/75 fps.
- Avoid using bullets that show signs of corrosion or contamination.
- Always use the correct reloading techniques and equipment.
- Do not modify the bullets in any way.
- Follow the manufacturer's instructions for loading and firing.

Instructions for Installation and Usage

1. Loading the Bullets:

- Ensure your firearm is unloaded before starting.
- Use a clean, dry workspace to avoid contamination.
- Follow your reloading manual for specific instructions on loading .45 caliber bullets.

2. Firing the Bullets:

- Load the bullets into the magazine or chamber as per your firearm's specifications.
- Always point the firearm in a safe direction when loading and unloading.
- Check that the firearm is in good working condition before firing.
- Fire only in a safe and controlled environment.

3. PostUse Handling:

- After firing, ensure the firearm is unloaded before cleaning or storing it.
- Dispose of any spent casings and debris in accordance with local regulations.

Disposal Instructions

- Dispose of unused or damaged bullets in accordance with local hazardous waste disposal regulations.
- Do not throw bullets in regular trash or recycling bins.

- Contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the product, please refer to the manufacturer's contact information provided with the product packaging.

Please ensure to keep this guide for future reference and adhere to all safety guidelines to ensure a safe and enjoyable experience with Berry's Superior Plated Bullets.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk