

A.R.M.S.® 17S BIPODS - MAGPUL ARMS 17S BIPOD FLAT DARK EARTH

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

Durable Bipod with All the Bells and Whistles

The Magpul Bipod for A.R.M.S.® 17S Style mounts offers serious strength and versatility at a price that provides unmatched value. Magpul's lightweight Mil-Spec hard anodized 6061 T-6 aluminum and injection-molded polymer bipod brings innovation in ergonomics, functionality, strength and value together. Its low-profile design conceals its internal mechanisms and hardware, smoothly brushing off snags and bumps. Optimized for rapid one-handed adjustments, the bipod quickly and quietly transitions between user configurations. In the shooting position, it is easily loaded with stabilizing forward tension without fear of failure or warping. Its aluminum and stainless steel components, along with its injection-molded reinforced polymer, ensure years of dependable performance and reliability, all while shaving weight. It's extremely light weight, at just over 11 oz. Leg extensions slide and lock securely with the push of a button on any of the seven half-inch spaced locking detents. The legs extend 3.5 inches, from 6.8" to 10.3". An industry-exclusive 50° of total tilt and 40° of total pan are controlled by a glove-friendly knurled tool-less bipod locking knob located between the extended legs. It also has the exclusive ability to lock pan at 0° while maintaining full tilt functionality. Folded, the streamlined housing and legs fit neatly under the barrel and are just under 2.3" deep and 3.3" wide. Anodized surfaces and tight, precision tolerances mitigate squeaks and rattles. A soft rubber bipod locking knob cap is attached to the locking knob gives users a steady, non-marring forward rest while the bipod is folded. Additionally, its staggered soft rubber feet hold fast on a variety of shooting surfaces and are easily removed with a roll pin punch. Should users choose to change feet, the Magpul Bipod's legs accept most Atlas pattern bipod replaceable feet, except for the Atlas 5-H style. Made in the USA. FEATURES Designed for streamlined storage until deployment Folded, the sleek housing and legs fit neatly under the barrel and are just under 2.3" deep and 3.3" wide Leg extensions slide and lock securely with the push of a button and a tool-less knurled bipod locking knob allows easy adjustment between shots Legs extend from 6.8" to 10.3" with seven locking detents Spring-tensioned legs stow forward when not in use, and then quickly snap down and lock into place with one hand Legs accept most Atlas pattern bipod replaceable feet to best match the needs of your environment SPECS Attachment: A.R.M.S. 17S Style Materials: Steel, Mil-Spec hard anodized 6061 T-6 aluminum, polymer Height, max: 10.3"" Pan and Tilt: 50° tilt and 40° pan Weight: 11 oz.



The Magpul Bipod is optimized for rapid one-handed adjustments. This bipod can be quickly and quietly transitioned between an almost endless variety of user configurations. And it's built to last, too. Constructed of hardcoat anodized 6061 T6 aluminum, with stainless steel internals, and injection-molded reinforced polymer components to ensure years of dependable service - all while keeping weight to a minimum. The result is a strong, lightweight (11 oz. all up!), versatile bipod that's available in four models set up to mount quickly to the four most popular attachment systems: the classic MIL-STD 1913 Picatinny rail, Magpul's own innovative M-LOK® system, the popular A.R.M.S. 17S attachment interface, and a standard QD Sling Swivel Stud. The Magpul Bipod features spring-tensioned legs that stow neatly forward and

snap down and lock in place quickly when needed. At the push of a button, the legs extend a generous four inches, from 6.3" to 10.3", and lock securely at any one of the seven 1/2"-spaced locking detents. Magpul provides an industry-exclusive 50° of total tilt and 40° of total pan controlled by the glove-friendly knurled bipod locking knob - no tool required - that enables fast, easy adjustment between shots. Additionally, the Magpul Bipod has the exclusive ability to lock pan at 0°, while maintaining full tilt functionality. Wide range of FAST adjustability Rugged aluminum, steel & reinforced polymer construction Available in Black or Flat Dark Earth (FDE) Available in FOUR mounting configurations: MIL-STD 1913 Picatinny, M-LOK®, A.R.M.S 17S, QD Sling Swivel Stud Only 11 oz. to 13 oz. wt. (depending on mounting system) A soft rubber cap on the bipod's locking knob gives the user a steady, non-marring forward rest for shooting when the bipod is folded. Additionally, this 'pod's soft rubber feet hold fast on a variety of shooting surfaces, and they're easily removed with a roll pin punch. If you want to change the feet, the Magpul Bipod's legs accept all Atlas-pattern bipod replaceable feet (except Atlas 5-H style).

Attributes

- Name: [MAGPUL ARMS 17S BIPOD FLAT DARK EARTH](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100029334
- Mfr. No.: MAG951-FDE
- Attachment: ARMS 17s
- Colour: Flat Dark Earth
- Feet Material: Rubber
- Folding: Yes
- Height: 6.3 to 10.3
- Style: Swivel
- Weight: 11.0 oz
- Delivery weight: 0.454kg
- Shipping height: 74mm
- Shipping width: 99mm
- Shipping length: 241mm
- UPC: 840815119364

Item details

Made in USA

Table of Contents

- Startpage
- A.R.M.S.® 17S BIPODS MAGPUL ARMS 17S BIPOD FLAT DARK EARTH Safety Instruction Guide
- About Us

A.R.M.S.® 17S BIPODS MAGPUL ARMS 17S BIPOD FLAT DARK EARTH Safety Instruction Guide

Introduction

Thank you for choosing the A.R.M.S.® 17S Bipod by Magpul. This product is designed for optimal performance and durability, providing you with a versatile shooting support system. To ensure your safety and the safety of others, please read and follow these safety instructions carefully.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the bipod by following all instructions and guidelines provided. This product is designed to meet safety standards for nonfood items.
- **Enhanced Recalls:** Stay informed about any potential recalls related to this product. If notified, follow the instructions provided for remedies.
- **Online Shopping:** If purchased online, ensure the platform complies with safety requirements similar to physical stores.
- **Special Consumer Focus:** Extra care should be taken when used by or around children. Always supervise children when using this product.
- **EU Contact Point:** For safety inquiries, refer to the EU contact point provided by the retailer.
- **Rapid Alerts:** Be aware of updates on unsafe products through the Safety Gate system.

Specific Safety Precautions for Use

- **Hazard Awareness:**
 - Ensure that the bipod is set up on stable ground to prevent tipping.
 - Avoid using the bipod in adverse weather conditions that could affect stability and performance.
- **Proper Use:**
 - Only use the bipod with compatible firearms and accessories as specified in the product manual.
 - Do not exceed the weight limit of the bipod; check specifications for maximum weight capacity.
- **Maintenance:**
 - Regularly inspect the bipod for signs of wear or damage. Replace any damaged components immediately.
 - Clean the bipod after use to maintain performance and longevity.
- **Storage:**
 - Store the bipod in a dry place to prevent corrosion and damage.
 - Keep the bipod out of reach of children when not in use.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded before attaching the bipod.
- Select the appropriate mounting configuration (MILSTD 1913 Picatinny, MLOK®, A.R.M.S. 17S, QD Sling Swivel Stud).
- Align the bipod with the mounting system and secure it firmly according to the manufacturer's instructions.

2. Usage:

- To deploy the bipod, press the button to release the legs. Allow them to extend fully until they lock into place.
- Adjust the height of the bipod by pressing the locking knob and extending or retracting the legs as

needed.

- Ensure the legs are locked at the desired height before using the bipod for shooting.
- For panning, use the knurled locking knob to adjust tilt and pan settings without tools.

3. PostUse:

- After use, fold the legs back into the stowed position.
- Store the bipod in a protective case if available.

Disposal Instructions

- **Recycling:** Dispose of the bipod and its components in accordance with local regulations. Check for recycling programs available in your area for aluminum and polymer materials.
- **Environmental Considerations:** Do not dispose of the bipod in regular household waste. Follow local guidelines for hazardous materials if applicable.

Contact Information for Further Support

For any questions or concerns regarding the A.R.M.S.® 17S Bipod, please refer to the contact information provided by your retailer or manufacturer. Ensure you have the product details available for any inquiries.

By following these safety instructions, you can enjoy the full benefits of your A.R.M.S.® 17S Bipod while ensuring a safe shooting experience. Thank you for your attention to safety, and happy shooting!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk