

M-LOK® BIPODS - MAGPUL M-LOK BIPOD BLACK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

The Magpul Bipod for M-LOK offers serious strength and versatility at a price that provides unmatched value. Magpul's lightweight Mil-Spec hard anodized 6061 T-6 aluminum and injection-molded polymer bipod brings innovation in ergonomics, functionality, strength and value together. Its low-profile design conceals its internal mechanisms and hardware, smoothly brushing off snags and bumps. Optimized for rapid one-handed adjustments, the bipod quickly and quietly transitions between user configurations. In the shooting position, it is easily loaded with stabilizing forward tension without fear of failure or warping. Its aluminum and stainless steel components, along with its injection-molded reinforced polymer, ensure years of dependable performance and reliability, all while shaving weight. It's extremely light weight, at just over 11 oz. Leg extensions slide and lock securely with the push of a button on any of the seven half-inch spaced locking detents. The legs extend 3.5 inches, from 6.8" to 10.3". An industry-exclusive 50° of total tilt and 40° of total pan are controlled by a glove-friendly knurled tool-less bipod locking knob located between the extended legs. It also has the exclusive ability to lock pan at 0° while maintaining full tilt functionality. Folded, the streamlined housing and legs fit neatly under the barrel and are just under 2.3" deep and 3.3" wide. Anodized surfaces and tight, precision tolerances mitigate squeaks and rattles. A soft rubber bipod locking knob cap is attached to the locking knob gives users a steady, non-marring forward rest while the bipod is folded. Additionally, its staggered soft rubber feet hold fast on a variety of shooting surfaces and are easily removed with a roll pin punch. Should users choose to change feet, the Magpul Bipod's legs accept most Atlas pattern bipod replaceable feet, except for the Atlas 5-H style. Made in the U.S.A. FEATURES Designed for streamlined storage until deployment Folded, the sleek housing and legs fit neatly under the barrel and are just under 2.3" deep and 3.3" wide Leg extensions slide and lock securely with the push of a button and a tool-less knurled bipod locking knob allows easy adjustment between shots Legs extend from 6.8" to 10.3" with seven locking detents Spring-tensioned legs stow forward when not in use, and then quickly snap down and lock into place with one hand Legs accept most Atlas pattern bipod replaceable feet to best match the needs of your environment SPECS More Information Attachment: M-LOK Slots Materials: Steel, Mil-Spec hard anodized 6061 T-6 aluminum, polymer Height, max: 10.3"" Pan and Tilt: 50° tilt and 40° pan Weight: 11 oz.

The Magpul Bipod is optimized for rapid one-handed adjustments. This bipod can be quickly and quietly transitioned between an almost endless variety of user configurations. And it's built to last, too. Constructed of hardcoat anodized 6061 T6 aluminum, with stainless steel internals, and injection-molded reinforced polymer components to ensure years of dependable service - all while keeping weight to a minimum. The result is a strong, lightweight (11 oz. all up!), versatile bipod that's available in four models set up to mount quickly to the four most popular attachment systems: the classic MIL-STD 1913 Picatinny rail, Magpul's own innovative M-LOK® system, the popular A.R.M.S. 17S attachment interface, and a standard QD Sling Swivel Stud. The Magpul Bipod features spring-tensioned legs that stow neatly forward and snap down and lock in place quickly when needed. At the push of a button, the legs extend a generous four inches, from 6.3" to 10.3", and lock securely at any one of the seven 1/2"-spaced locking detents. Magpul provides an industry-exclusive 50° of total tilt and 40° of total pan controlled by the glove-friendly



Knurled bipod locking knob - no tool required - that enables fast, easy adjustment between shots. Additionally, the Magpul Bipod has the exclusive ability to lock pan at 0°, while maintaining full tilt functionality. Wide range of FAST adjustability Rugged aluminum, steel & reinforced polymer construction Available in Black or Flat Dark Earth (FDE) Available in FOUR mounting configurations: MIL-STD 1913 Picatinny, M-LOK®, A.R.M.S 17S, QD Sling Swivel Stud Only 11 oz. to 13 oz. wt. (depending on mounting system) A soft rubber cap on the bipod's locking knob gives the user a steady, non-marring forward rest for shooting when the bipod is folded. Additionally, this 'pod's soft rubber feet hold fast on a variety of shooting surfaces, and they're easily removed with a roll pin punch. If you want to change the feet, the Magpul Bipod's legs accept all Atlas-pattern bipod replaceable feet (except Atlas 5-H style).

Attributes

- Name: [MAGPUL M-LOK BIPOD BLACK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100029335
- Mfr. No.: MAG933-BLK
- Attachment: M-LOK
- Colour: Black
- Feet Material: Rubber
- Folding: Yes
- Height: 6.3 to 10.3
- Style: Swivel
- Weight: 11.0 oz
- Delivery weight: 0.413kg
- Shipping height: 76mm
- Shipping width: 102mm
- Shipping length: 241mm
- UPC: 840815119319

Item details

Made in USA

Table of Contents

- Startpage
- Magpul MLOK Bipod Safety Instruction Guide
- About Us

Magpul MLOK Bipod Safety Instruction Guide

Introduction

Thank you for choosing the Magpul MLOK Bipod. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your bipod. Please read this manual carefully before use to familiarize yourself with the product and its safety features.

General Safety Guidelines

- Ensure the bipod is used in accordance with the manufacturer's instructions.
- Always inspect the bipod before use for any signs of damage or wear.
- Do not exceed the weight limit specified for the bipod to prevent failure.
- Keep the bipod out of reach of children and unauthorized users.
- Use the bipod only for its intended purpose.
- Be aware of your surroundings and ensure a safe shooting environment.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure the bipod is securely mounted before use.
- Always check that the legs are locked in place before shooting.
- Do not attempt to modify the bipod or use it with incompatible accessories.
- Use caution when adjusting the legs, as they can snap into position quickly.
- Avoid using the bipod on unstable or uneven surfaces.
- When transitioning between shooting positions, ensure that the bipod is stowed properly.
- Be mindful of the tilt and pan adjustments to maintain control during use.

Instructions for Installation and Usage

Installation

1. Choose the appropriate mounting configuration for your setup (MILSTD 1913 Picatinny, MLOK®, A.R.M.S. 17S, or QD Sling Swivel Stud).
2. Align the bipod with the mounting surface and secure it according to the specific attachment method.
3. Ensure that the bipod is firmly attached and does not wobble.

Usage

1. To deploy the bipod, press the button on the legs to extend them to the desired length (from 6.3" to 10.3").
2. Ensure the legs lock securely at one of the seven ½"spaced locking detents.
3. Adjust the tilt and pan using the knurled locking knob, ensuring no tools are required.
4. When finished, fold the legs forward for easy storage.

Disposal Instructions

- Dispose of the bipod in accordance with local waste management regulations.
- If the bipod is damaged and cannot be repaired, consider recycling the materials where possible.
- Do not dispose of the bipod in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any inquiries regarding safety, usage, or product issues, please refer to the manufacturer's contact

information provided with your product packaging or on the official website.

By following these guidelines, you can ensure the safe and effective use of your Magpul MLOK Bipod. Thank you for your attention to safety and enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk