

M-LOK® BIPODS - MAGPUL M-LOK BIPOD FLAT DARK EARTH

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

The Magpul Bipod for M-LOK offers serious strength and versatility at a price that provides unmatched value. Magpul's lightweight Mil-Spec hard anodized 6061 T-6 aluminum and injection-molded polymer bipod brings innovation in ergonomics, functionality, strength and value together. Its low-profile design conceals its internal mechanisms and hardware, smoothly brushing off snags and bumps. Optimized for rapid one-handed adjustments, the bipod quickly and quietly transitions between user configurations. In the shooting position, it is easily loaded with stabilizing forward tension without fear of failure or warping. Its aluminum and stainless steel components, along with its injection-molded reinforced polymer, ensure years of dependable performance and reliability, all while shaving weight. It's extremely light weight, at just over 11 oz. Leg extensions slide and lock securely with the push of a button on any of the seven half-inch spaced locking detents. The legs extend 3.5 inches, from 6.8" to 10.3". An industry-exclusive 50° of total tilt and 40° of total pan are controlled by a glove-friendly knurled tool-less bipod locking knob located between the extended legs. It also has the exclusive ability to lock pan at 0° while maintaining full tilt functionality. Folded, the streamlined housing and legs fit neatly under the barrel and are just under 2.3" deep and 3.3" wide. Anodized surfaces and tight, precision tolerances mitigate squeaks and rattles. A soft rubber bipod locking knob cap is attached to the locking knob gives users a steady, non-marring forward rest while the bipod is folded. Additionally, its staggered soft rubber feet hold fast on a variety of shooting surfaces and are easily removed with a roll pin punch. Should users choose to change feet, the Magpul Bipod's legs accept most Atlas pattern bipod replaceable feet, except for the Atlas 5-H style. Made in the U.S.A. FEATURES Designed for streamlined storage until deployment Folded, the sleek housing and legs fit neatly under the barrel and are just under 2.3" deep and 3.3" wide Leg extensions slide and lock securely with the push of a button and a tool-less knurled bipod locking knob allows easy adjustment between shots Legs extend from 6.8" to 10.3" with seven locking detents Spring-tensioned legs stow forward when not in use, and then quickly snap down and lock into place with one hand Legs accept most Atlas pattern bipod replaceable feet to best match the needs of your environment SPECS More Information Attachment: M-LOK Slots Materials: Steel, Mil-Spec hard anodized 6061 T-6 aluminum, polymer Height, max: 10.3"" Pan and Tilt: 50° tilt and 40° pan Weight: 11 oz.



The Magpul Bipod is optimized for rapid one-handed adjustments. This bipod can be quickly and quietly transitioned between an almost endless variety of user configurations. And it's built to last, too. Constructed of hardcoat anodized 6061 T6 aluminum, with stainless steel internals, and injection-molded reinforced polymer components to ensure years of dependable service - all while keeping weight to a minimum. The result is a strong, lightweight (11 oz. all up!), versatile bipod that's available in four models set up to mount quickly to the four most popular attachment systems: the classic MIL-STD 1913 Picatinny rail, Magpul's own innovative M-LOK® system, the popular A.R.M.S. 17S attachment interface, and a standard QD Sling Swivel Stud. The Magpul Bipod features spring-tensioned legs that stow neatly forward and snap down and lock in place quickly when needed. At the push of a button, the legs extend a generous four inches, from 6.3" to 10.3", and lock securely at any one of the seven 1/2"-spaced locking detents. Magpul provides an industry-exclusive 50° of total tilt and 40° of total pan controlled by the glove-friendly

Knurled bipod locking knob - no tool required - that enables fast, easy adjustment between shots. Additionally, the Magpul Bipod has the exclusive ability to lock pan at 0°, while maintaining full tilt functionality. Wide range of FAST adjustability Rugged aluminum, steel & reinforced polymer construction Available in Black or Flat Dark Earth (FDE) Available in FOUR mounting configurations: MIL-STD 1913 Picatinny, M-LOK®, A.R.M.S 17S, QD Sling Swivel Stud Only 11 oz. to 13 oz. wt. (depending on mounting system) A soft rubber cap on the bipod's locking knob gives the user a steady, non-marring forward rest for shooting when the bipod is folded. Additionally, this 'pod's soft rubber feet hold fast on a variety of shooting surfaces, and they're easily removed with a roll pin punch. If you want to change the feet, the Magpul Bipod's legs accept all Atlas-pattern bipod replaceable feet (except Atlas 5-H style).

Attributes

- Name: [MAGPUL M-LOK BIPOD FLAT DARK EARTH](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100029336
- Mfr. No.: MAG933-FDE
- Attachment: M-LOK
- Colour: Flat Dark Earth
- Feet Material: Rubber
- Folding: Yes
- Height: 6.3 to 10.3
- Style: Swivel
- Weight: 11.0 oz
- Delivery weight: 0.413kg
- Shipping height: 76mm
- Shipping width: 102mm
- Shipping length: 241mm
- UPC: 840815119326

Item details

Made in USA

Table of Contents

- Startpage
- Magpul MLOK Bipod Safety Instruction Guide
- About Us

Magpul MLOK Bipod Safety Instruction Guide

Introduction

Thank you for choosing the Magpul MLOK Bipod. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your bipod. Please read this document carefully before using the product.

General Safety Guidelines

- Always inspect the bipod before use to ensure it is in good working condition.
- Use the bipod only for its intended purpose as described in this guide.
- Keep the bipod out of reach of children and vulnerable individuals when not in use.
- Report any unsafe conditions or incidents involving the bipod to the appropriate authorities.
- Stay informed about product recalls and safety alerts through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the bipod is securely mounted to the firearm or platform before use.
- Do not exceed the weight limit specified for the bipod to avoid structural failure.
- Always use the bipod on stable surfaces to prevent tipping or sliding.
- Avoid using the bipod in adverse weather conditions that may compromise safety.
- Do not modify the bipod or use it in a manner not recommended by the manufacturer.
- Be cautious when extending the legs of the bipod; ensure they are locked in place before use.
- Maintain a safe distance from the muzzle of the firearm when using the bipod.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Select the appropriate mounting configuration (MILSTD 1913 Picatinny, MLOK, A.R.M.S. 17S, or QD Sling Swivel Stud).
- Align the bipod with the mounting system and secure it according to the manufacturer's instructions.
- Confirm that the bipod is firmly attached and does not wobble.

2. Usage:

- To deploy the bipod, press the button on the locking knob to release the legs.
- Extend the legs to the desired length (from 6.3" to 10.3") and ensure they lock into place at one of the seven locking detents.
- Adjust the tilt and pan using the knurled locking knob without the need for tools.
- Always check that the legs are fully extended and locked before taking a shot.
- After use, retract the legs and store the bipod in a safe location.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations.
- Consider recycling the aluminum and polymer components where possible.
- Do not dispose of the bipod in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any inquiries regarding safety, usage, or support related to the Magpul MLOK Bipod, please refer to the manufacturer's website or customer service resources.

Thank you for your attention to these safety guidelines. Enjoy your Magpul MLOK Bipod and use it responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk