

# PICATINNY BIPODS - MAGPUL PICATINNY BIPOD BLACK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

The Magpul Bipod for 1913 Picatinny Rail offers serious strength and versatility at a price that provides unmatched value. Magpul's lightweight Mil-Spec hard anodized 6061 T-6 aluminum and injection-molded polymer bipod brings innovation in ergonomics, functionality, strength and value together. Its low-profile design conceals its internal mechanisms and hardware, smoothly brushing off snags and bumps. Optimized for rapid one-handed adjustments, the bipod quickly and quietly transitions between user configurations. In the shooting position, it is easily loaded with stabilizing forward tension without fear of failure or warping. Its aluminum and stainless steel components, along with its injection-molded reinforced polymer, ensure years of dependable performance and reliability, all while shaving weight. It's extremely light weight, at just over 11 oz. Leg extensions slide and lock securely with the push of a button on any of the seven half-inch spaced locking detents. The legs extend 3.5 inches, from 6.8" to 10.3". An industry-exclusive 50° of total tilt and 40° of total pan are controlled by a glove-friendly knurled tool-less bipod locking knob located between the extended legs. It also has the exclusive ability to lock pan at 0° while maintaining full tilt functionality.

Folded, the streamlined housing and legs fit neatly under the barrel and are just under 2.3" deep and 3.3" wide. Anodized surfaces and tight, precision tolerances mitigate squeaks and rattles. A soft rubber bipod locking knob cap is attached to the locking knob gives users a steady, non-marring forward rest while the bipod is folded. Additionally, its staggered soft rubber feet hold fast on a variety of shooting surfaces and are easily removed with a roll pin punch. Should users choose to change feet, the Magpul Bipod's legs accept most Atlas pattern bipod replaceable feet, except for the Atlas 5-H style. Made in the U.S.A. FEATURES Designed for streamlined storage until deployment Folded, the sleek housing and legs fit neatly under the barrel and are just under 2.3" deep and 3.3" wide Leg extensions slide and lock securely with the push of a button and a tool-less knurled bipod locking knob allows easy adjustment between shots Legs extend from 6.8" to 10.3" with seven locking detents Spring-tensioned legs stow forward when not in use, and then quickly snap down and lock into place with one hand Legs accept most Atlas pattern bipod replaceable feet to best match the needs of your environment SPECS Attachment: 1913 Picatinny Rails Materials: Steel, Mil-Spec hard anodized 6061 T-6 aluminum, polymer Height, max: 10.45"" Pan and Tilt: 50° tilt and 40° pan Weight: 11 oz.

The Magpul Bipod is optimized for rapid one-handed adjustments. This bipod can be quickly and quietly transitioned between an almost endless variety of user configurations. And it's built to last, too. Constructed of hardcoat anodized 6061 T6 aluminum, with stainless steel internals, and injection-molded reinforced polymer components to ensure years of dependable service - all while keeping weight to a minimum. The result is a strong, lightweight (11 oz. all up!), versatile bipod that's available in four models set up to mount quickly to the four most popular attachment systems: the classic MIL-STD 1913 Picatinny rail, Magpul's own innovative M-LOK® system, the popular A.R.M.S. 17S attachment interface, and a standard QD Sling Swivel Stud. The Magpul Bipod features spring-tensioned legs that stow neatly forward and snap down and lock in place quickly when needed. At the push of a button, the legs extend a generous four inches, from 6.3" to 10.3", and lock securely at any one of the seven  $\frac{1}{2}$ "-spaced locking detents. Magpul provides an industry-



exclusive 50° of total tilt and 40° of total pan controlled by the glove-friendly knurled bipod locking knob - no tool required - that enables fast, easy adjustment between shots. Additionally, the Magpul Bipod has the exclusive ability to lock pan at 0°, while maintaining full tilt functionality. Wide range of FAST adjustability Rugged aluminum, steel & reinforced polymer construction Available in Black or Flat Dark Earth (FDE) Available in FOUR mounting configurations: MIL-STD 1913 Picatinny, M-LOK®, A.R.M.S 17S, QD Sling Swivel Stud Only 11 oz. to 13 oz. wt. (depending on mounting system) A soft rubber cap on the bipod's locking knob gives the user a steady, non-marring forward rest for shooting when the bipod is folded. Additionally, this 'pod's soft rubber feet hold fast on a variety of shooting surfaces, and they're easily removed with a roll pin punch. If you want to change the feet, the Magpul Bipod's legs accept all Atlas-pattern bipod replaceable feet (except Atlas 5-H style).

## Attributes

- Name: [MAGPUL PICATINNY BIPOD BLACK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100029337
- Mfr. No.: MAG941-BLK
- Attachment: Picatinny
- Colour: Black
- Feet Material: Rubber
- Folding: Yes
- Height: 6.3 to 10.3
- Style: Swivel
- Weight: 11.0 oz
- Delivery weight: 0.454kg
- Shipping height: 74mm
- Shipping width: 99mm
- Shipping length: 241mm
- UPC: 840815119333

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for Magpul Picatinny Bipod
- About Us

# Safety Instruction Guide for Magpul Picatinny Bipod

## Introduction

Thank you for choosing the Magpul Picatinny Bipod. This guide provides essential safety instructions and usage guidelines to ensure safe and effective operation of your bipod. Please read this document carefully before use.

## General Safety Guidelines

- Ensure that the bipod is used only for its intended purpose as a shooting support device.
- Always inspect the bipod for any visible damage or wear before each use.
- Keep the bipod out of reach of children and vulnerable individuals when not in use.
- Follow all local laws and regulations regarding shooting and firearm accessories.
- Use the bipod in a safe environment, away from unauthorized personnel.

## Specific Safety Precautions for Use

- Do not exceed the weight limit specified for the bipod to prevent failure during use.
- Ensure that the bipod is securely attached to the firearm before use.
- Always engage the locking mechanism before using the bipod to stabilize your firearm.
- Avoid placing your fingers or hands in the path of the bipod's moving parts during adjustment.
- When adjusting the legs, do so slowly and with care to avoid pinching or injury.
- When transitioning between different surfaces, ensure that the bipod feet are suitable for the terrain to maintain stability.

## Instructions for Installation and Usage

### 1. Installation:

- Identify the attachment point on your firearm (Picatinny rail).
- Align the bipod with the attachment point.
- Slide the bipod onto the rail until it clicks into place.
- Ensure that the bipod is securely locked before proceeding.

### 2. Adjusting the Legs:

- To extend the legs, press the button located on the bipod leg.
- Pull the leg downwards until it reaches the desired length (6.3" to 10.3").
- Release the button to lock the leg in place.
- Repeat for the second leg, ensuring both legs are adjusted to the same height for stability.

### 3. Using the Bipod:

- Once the bipod is installed and legs are adjusted, position your firearm on the bipod.
- Ensure that the bipod is stable and secure before taking aim.
- Use the knurled locking knob to adjust tilt and pan as needed for optimal aiming.

### 4. PostUse:

- After use, retract the legs by pressing the button and sliding them back into the folded position.
- Store the bipod in a safe and dry location to prevent damage.

## **Disposal Instructions**

- Dispose of the bipod in accordance with local regulations for electronic and metal waste.
- Do not dispose of the bipod in household waste.
- If you are unsure about disposal methods, contact your local waste management authority for guidance.

## **Contact Information for Further Support**

For any questions or concerns regarding the Magpul Picatinny Bipod, please refer to the manufacturer's website or contact the authorized distributor in your region for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Magpul Picatinny Bipod. Thank you for your attention to safety and compliance with the EU General Product Safety Regulation.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)