

PICATINNY BIPODS - MAGPUL PICATINNY BIPOD FLAT DARK EARTH

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

The Magpul Bipod for 1913 Picatinny Rail offers serious strength and versatility at a price that provides unmatched value. Magpul's lightweight Mil-Spec hard anodized 6061 T-6 aluminum and injection-molded polymer bipod brings innovation in ergonomics, functionality, strength and value together. Its low-profile design conceals its internal mechanisms and hardware, smoothly brushing off snags and bumps. Optimized for rapid one-handed adjustments, the bipod quickly and quietly transitions between user configurations. In the shooting position, it is easily loaded with stabilizing forward tension without fear of failure or warping. Its aluminum and stainless steel components, along with its injection-molded reinforced polymer, ensure years of dependable performance and reliability, all while shaving weight. It's extremely light weight, at just over 11 oz. Leg extensions slide and lock securely with the push of a button on any of the seven half-inch spaced locking detents. The legs extend 3.5 inches, from 6.8" to 10.3". An industry-exclusive 50° of total tilt and 40° of total pan are controlled by a glove-friendly knurled tool-less bipod locking knob located between the extended legs. It also has the exclusive ability to lock pan at 0° while maintaining full tilt functionality.

Folded, the streamlined housing and legs fit neatly under the barrel and are just under 2.3" deep and 3.3" wide. Anodized surfaces and tight, precision tolerances mitigate squeaks and rattles. A soft rubber bipod locking knob cap is attached to the locking knob gives users a steady, non-marring forward rest while the bipod is folded. Additionally, its staggered soft rubber feet hold fast on a variety of shooting surfaces and are easily removed with a roll pin punch. Should users choose to change feet, the Magpul Bipod's legs accept most Atlas pattern bipod replaceable feet, except for the Atlas 5-H style. Made in the U.S.A. FEATURES Designed for streamlined storage until deployment Folded, the sleek housing and legs fit neatly under the barrel and are just under 2.3" deep and 3.3" wide Leg extensions slide and lock securely with the push of a button and a tool-less knurled bipod locking knob allows easy adjustment between shots Legs extend from 6.8" to 10.3" with seven locking detents Spring-tensioned legs stow forward when not in use, and then quickly snap down and lock into place with one hand Legs accept most Atlas pattern bipod replaceable feet to best match the needs of your environment SPECS Attachment: 1913 Picatinny Rails Materials: Steel, Mil-Spec hard anodized 6061 T-6 aluminum, polymer Height, max: 10.45"" Pan and Tilt: 50° tilt and 40° pan Weight: 11 oz.

The Magpul Bipod is optimized for rapid one-handed adjustments. This bipod can be quickly and quietly transitioned between an almost endless variety of user configurations. And it's built to last, too. Constructed of hardcoat anodized 6061 T6 aluminum, with stainless steel internals, and injection-molded reinforced polymer components to ensure years of dependable service - all while keeping weight to a minimum. The result is a strong, lightweight (11 oz. all up!), versatile bipod that's available in four models set up to mount quickly to the four most popular attachment systems: the classic MIL-STD 1913 Picatinny rail, Magpul's own innovative M-LOK® system, the popular A.R.M.S. 17S attachment interface, and a standard QD Sling Swivel Stud. The Magpul Bipod features spring-tensioned legs that stow neatly forward and snap down and lock in place quickly when needed. At the push of a button, the legs extend a generous four inches, from 6.3" to 10.3", and lock securely at any one of the seven 1/2"-spaced locking detents. Magpul provides an industry-



exclusive 50° of total tilt and 40° of total pan controlled by the glove-friendly knurled bipod locking knob - no tool required - that enables fast, easy adjustment between shots. Additionally, the Magpul Bipod has the exclusive ability to lock pan at 0°, while maintaining full tilt functionality. Wide range of FAST adjustability Rugged aluminum, steel & reinforced polymer construction Available in Black or Flat Dark Earth (FDE) Available in FOUR mounting configurations: MIL-STD 1913 Picatinny, M-LOK®, A.R.M.S 17S, QD Sling Swivel Stud Only 11 oz. to 13 oz. wt. (depending on mounting system) A soft rubber cap on the bipod's locking knob gives the user a steady, non-marring forward rest for shooting when the bipod is folded. Additionally, this 'pod's soft rubber feet hold fast on a variety of shooting surfaces, and they're easily removed with a roll pin punch. If you want to change the feet, the Magpul Bipod's legs accept all Atlas-pattern bipod replaceable feet (except Atlas 5-H style).

Attributes

- Name: [MAGPUL PICATINNY BIPOD FLAT DARK EARTH](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100029338
- Mfr. No.: MAG941-FDE
- Attachment: Picatinny
- Colour: Flat Dark Earth
- Feet Material: Rubber
- Folding: Yes
- Height: 6.3 to 10.3
- Style: Swivel
- Weight: 11.0 oz
- Delivery weight: 0.454kg
- Shipping height: 74mm
- Shipping width: 99mm
- Shipping length: 241mm
- UPC: 840815119340

Item details

Made in USA

Table of Contents

- Startpage
- PICATINNY BIPODS MAGPUL PICATINNY BIPOD FLAT DARK EARTH Safety Instruction Guide
- About Us

PICATINNY BIPODS MAGPUL PICATINNY BIPOD FLAT DARK EARTH Safety Instruction Guide

Introduction

Thank you for choosing the Magpul Bipod. This product is designed for versatility and durability, providing you with a reliable shooting accessory. To ensure your safety and the optimal performance of the bipod, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always inspect the bipod before use. Check for any signs of damage or wear.
- Use the bipod only as intended. Do not modify or alter the bipod in any way.
- Keep the bipod out of reach of children and unauthorized users.
- Avoid using the bipod in extreme weather conditions that may affect its performance.
- Be aware of your surroundings and ensure a safe shooting environment.

Specific Safety Precautions for Use

- Ensure the bipod is securely mounted to your firearm before use.
- When adjusting the legs, make sure they are fully extended and locked in place to prevent accidental collapse.
- Do not exceed the recommended weight limit of the bipod. The bipod is designed to support firearms within specified limits.
- Always use the bipod on stable and level surfaces to maintain stability during shooting.
- Be cautious when transitioning the bipod between different mounting configurations to avoid pinching or injury.

Instructions for Installation and Usage

Installation

1. **Select the Mounting System:** Choose from the available configurations: MILSTD 1913 Picatinny rail, MLOK®, A.R.M.S. 17S, or QD Sling Swivel Stud.
2. **Attach the Bipod:**
 - Align the bipod's mounting interface with the chosen system.
 - Securely fasten the bipod according to the specific mounting system's instructions.
3. **Check Stability:** Ensure the bipod is firmly attached and does not wobble.

Usage

1. **Adjusting the Legs:**
 - Press the locking knob to release the legs.
 - Extend the legs to the desired height (from 6.3" to 10.3") and ensure they lock securely in place.
2. **Tilting and Panning:**
 - Use the knurled bipod locking knob to adjust tilt and pan. The bipod offers 50° of total tilt and 40° of total pan.
 - To lock pan at 0°, adjust the knob while ensuring tilt functionality is maintained.
3. **Folding the Bipod:**
 - To fold, press the locking knob and retract the legs forward until they lock into place.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations for electronic and metal waste.
- If the bipod is no longer usable, consider recycling the aluminum and polymer components where facilities exist.

Contact Information for Further Support

For any inquiries regarding safety or performance issues, please refer to the manufacturer's contact details provided with your product packaging or visit the official website.

Conclusion

Following these safety instructions will help ensure a safe and enjoyable experience with your Magpul Bipod. Always prioritize safety and adhere to all guidelines for the best performance. Thank you for your attention to these important safety practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk