

# HELLFIRE WRENCH - AREA 419 HELLFIRE WRENCH

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Just installing your Area 419 Hellfire suppressor mount is only one of the multiple uses offered by the company's Hellfire Wrench. This unique tool is milled from 60-61T-6 bar stock for durability and has a 5/8-inch hex head that enables users to attach their adapter straight onto the muzzle. The tool also features a 1 1/8-inch internal hex that enables easy installation of suppressor mounts and an external hex with the same dimensions that works to loosen stuck mounts. As an added feature, the mount also includes a bottle opener.



## Attributes

- Name: [AREA 419 HELLFIRE WRENCH](#)
- Manufacturer: [AREA 419](#)
- Product no.: 100029565
- Mfr. No.: 419-HF-WRENCH
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 38mm
- Shipping length: 152mm
- UPC: 853675008488

## Item details

Made in USA

# Table of Contents

- Startpage
- HELLFIRE WRENCH Safety Instructions
- About Us

# HELLFIRE WRENCH Safety Instructions

## Introduction

Thank you for choosing the HELLFIRE WRENCH by AREA 419. This tool is designed for the installation and adjustment of suppressor mounts, as well as various other uses. It is important to follow these safety instructions to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure the HELLFIRE WRENCH is used only for its intended purpose.
- Always inspect the tool before use for any signs of damage or wear.
- Keep the tool out of reach of children and unauthorized users.
- Use the tool in a welllit and safe environment.
- Follow all local laws and regulations regarding the use of suppressor mounts and related equipment.
- In case of any accidents or injuries, report them immediately to the appropriate authorities.

## Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when using the tool.
- Do not use the HELLFIRE WRENCH on hot or pressurized components.
- Avoid using excessive force when installing or loosening mounts to prevent tool damage or injury.
- Ensure that the suppressor mount is securely attached before handling the firearm.
- Do not attempt to modify or alter the tool in any way.
- If the tool becomes stuck, do not force it; instead, seek assistance or consult a professional.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools and equipment before starting.
- Ensure that the firearm is unloaded and pointed in a safe direction.

### 2. Using the HELLFIRE WRENCH

- To attach the suppressor mount:
  - Align the 5/8inch hex head of the HELLFIRE WRENCH with the adapter on the muzzle.
  - Turn the wrench clockwise until the mount is securely attached.
- To install the suppressor:
  - Use the 1 1/8inch internal hex to attach the suppressor mount.
  - Turn the wrench clockwise until tight, but do not overtighten.
- To loosen a stuck mount:
  - Position the external hex over the stuck mount.
  - Turn the wrench counterclockwise to loosen.

### 3. PostUse Care

- Clean the tool after use to remove any debris or residue.
- Store the HELLFIRE WRENCH in a safe, dry place away from direct sunlight.

## Disposal Instructions

- Dispose of the HELLFIRE WRENCH in accordance with local regulations.
- If the tool is damaged beyond repair, consider recycling materials where applicable.

- Do not dispose of the tool in household waste.

## Contact Information for Further Support

For any inquiries regarding the HELLFIRE WRENCH, including safety concerns or product support, please refer to the manufacturer's website or customer service channels.

By following these safety instructions, you can ensure a safe and effective experience with your HELLFIRE WRENCH. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)