

# C4 REAR SIGHT APERTURE INSERTS - ULTRADYNE USA C4 REAR SIGHT APERTURE INSERT .070

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Sight Inserts](#)

## C4 Rear Sight Aperture Inserts

Easily switch apertures in your C4 Rear Sight with these inserts.



## Attributes

- Name: [ULTRADYNE USA C4 REAR SIGHT APERTURE INSERT .070](#)
- Manufacturer: [ULTRADYNE USA](#)
- Product no.: 100030089
- Mfr. No.: UD10910
- Colour: Black
- Delivery weight: 0.003kg
- Shipping height: 89mm
- Shipping width: 51mm
- Shipping length: 89mm
- UPC: 851019008514

## Item details

Made in USA

# Table of Contents

- Startpage
- C4 Rear Sight Aperture Inserts Safety Instruction Guide
- About Us

# C4 Rear Sight Aperture Inserts Safety Instruction Guide

## Introduction

Thank you for choosing the C4 Rear Sight Aperture Inserts by ULTRADYNE USA. This guide provides essential safety instructions and information to ensure safe and effective use of the product. Please read this guide carefully before using the product.

## General Safety Guidelines

- Ensure the product is used only for its intended purpose as described in this guide.
- Keep out of reach of children and vulnerable individuals to prevent accidental misuse.
- Regularly inspect the product for any signs of damage or wear before use.
- Follow all local laws and regulations regarding the use of sighting devices and firearms.
- Report any unsafe products or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Do not attempt to modify or alter the aperture inserts in any way.
- Ensure that the firearm is unloaded and safe before installing or changing the apertures.
- Always use the product in a safe environment, free from distractions.
- Use protective eyewear when handling firearms equipped with the C4 Rear Sight.
- Be aware of your surroundings and ensure a safe shooting area when using the product.

## Instructions for Installation and Usage

### 1. Installation of Aperture Inserts:

- Ensure the firearm is completely unloaded and pointed in a safe direction.
- Locate the C4 Rear Sight on your firearm.
- Remove the existing aperture by gently twisting or pulling it out, depending on the model.
- Select the desired aperture insert from the package.
- Insert the new aperture into the rear sight by aligning it correctly and pushing or twisting it into place until secure.

### 2. Usage of the C4 Rear Sight:

- Once the aperture insert is installed, ensure it is securely in place before using the firearm.
- Adjust your sighting as necessary according to the type of aperture you have installed.
- Practice safe shooting habits and always be aware of your target and what is beyond it.

### 3. PostUse Care:

- After use, clean the sight and aperture inserts according to the manufacturer's recommendations.
- Store the firearm and accessories in a secure location, away from unauthorized users.

## Disposal Instructions

- Dispose of any damaged or worn aperture inserts in accordance with local waste disposal regulations.
- Do not throw away in regular household trash if local regulations specify otherwise.
- Consider recycling options if available for plastic components.

## **Contact Information for Further Support**

For any questions or concerns regarding the C4 Rear Sight Aperture Inserts, please refer to the manufacturer's website or customer support resources for additional information.

Thank you for your attention to these safety guidelines. Your safety and the safety of others is our top priority. Enjoy your shooting experience with the C4 Rear Sight Aperture Inserts!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)