

GEN 2 CANT AND LOC (CAL) BIPODS - ACCU-SHOT PICATINNY MOUNT CAL BIPOD BLACK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

ATLAS BIPOD GEN 2 CANT AND LOC (CAL) BIPODS The CAL (Cant And Loc) Atlas Bipods were developed for shooters that do not desire the Panning feature. It is comprised of 6061-T6 aluminum that is Mil-Spec Type III hard coat anodized and have heat treated stainless steel components. B&T chose to support a legend in the shooting sports by using the original KMW "Pod-Loc™". With the CAL bipod mounted to your rifle, you will be able to lock and un-lock the canting motion by rotating the Pod-Loc™ lever. Turn clockwise to lock and counter clockwise to un-lock. The Pod-Loc™ lever position can be adjusted for positioning by pulling the lever directly away from the body of the CAL and rotating to desired position. This positioning can be repeated until optimal position is achieved. Available in black only. FEATURES Height Range: 4.75 – 9.0" approximately Cant: 15 degrees +/- 5 leg positions: 0, 45, 90, 135 and 180 degrees Non-Rotating Legs: outer leg does not rotate around inner leg Larger, stronger inner legs Weight: 12.87 ounces Footprint: 9.75 – 13"



Attributes

- Name: [ACCU-SHOT PICATINNY MOUNT CAL BIPOD BLACK](#)
- Manufacturer: [ACCU-SHOT](#)
- Product no.: 100030381
- Mfr. No.: BT65
- Attachment: Picatinny
- Colour: Black
- Feet Material: Rubber
- Style: Cant Swivel
- Delivery weight: 0.378kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 184mm
- UPC: 810040220173

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for GEN 2 CANT AND LOC (CAL) BIPODS
- About Us

Safety Instruction Guide for GEN 2 CANT AND LOC (CAL) BIPODS

Introduction

Thank you for choosing the GEN 2 CANT AND LOC (CAL) BIPODS by ACCUSHOT. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your bipod. Please read this document carefully to understand how to operate and maintain your product safely.

General Safety Guidelines

- Ensure the bipod is used only for its intended purpose as a stabilizing support for firearms.
- Always inspect the bipod for any signs of damage or wear before each use.
- Keep the bipod out of reach of children and unauthorized users.
- Do not modify the bipod in any way, as this may compromise its safety and effectiveness.
- Always follow local laws and regulations regarding firearm use and accessories.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Hazard Identification:**

- Improper use of the bipod may lead to firearm instability, resulting in accidents or injuries.
- The bipod's locking mechanism must be fully engaged to prevent unintended movement.

- **Instructions to Avoid Hazards:**

- Always ensure the bipod is securely attached to the firearm before use.
- Do not exceed the recommended height and cant limits as specified in the product specifications.
- Avoid using the bipod on unstable surfaces that may lead to tipping or falling.
- Ensure that the bipod is adjusted to a stable position before firing.

- **Audience Specific Warnings:**

- This product is not intended for use by individuals under the age of 18 without adult supervision.
- Special care should be taken when used by inexperienced shooters.

Instructions for Installation and Usage

1. Installation:

- Ensure your firearm is unloaded before attaching the bipod.
- Align the bipod's Picatinny mount with the corresponding rail on your firearm.
- Slide the bipod onto the rail until it clicks into place.
- Confirm that the bipod is securely attached by gently pulling on it.

2. Adjusting the Bipod:

- To adjust the height, release the locking mechanism and extend or retract the legs to the desired height (4.75 - 9.0 inches).
- For cant adjustments, rotate the PodLoc™ lever to lock or unlock the canting motion.
- Turn the lever clockwise to lock and counterclockwise to unlock.
- Adjust the lever position for comfortable access by pulling it away from the bipod body and

rotating it to the desired position.

3. Usage:

- Position the bipod on a stable surface and ensure all legs are firmly planted.
- Confirm that the canting motion is locked before firing.
- After use, always retract the legs and store the bipod in a safe location.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations regarding metal and electronic waste.
- If the bipod is damaged beyond repair, contact local waste management authorities for proper disposal methods.
- Do not dispose of the bipod in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety, usage, or maintenance of the GEN 2 CANT AND LOC (CAL) BIPODS, please contact the manufacturer directly through the provided channels on the packaging or product documentation.

Thank you for prioritizing safety while using your ACCUSHOT bipod. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk