

SUPER PRECISION TRIJICON MRO OPTIC MOUNT 1.93" HEIGHT - GEISSELE AUTOMATICS HIGH OPTIC MOUNT 1.93" FOR TRIJICON MRO MATTE BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

The Super Precision MRO Series was developed specifically to work with the Trijicon MRO and like mounted red dot optics. These mounts are precision machined from a single piece of 7075-T6 high strength aluminum and are available in both co-witness and lower third co-witness options. Utilizing Geissele's update of the classic nut and bolt method, this mount will attach your red dot to your weapon with 1,400 pounds of clamping force, and features 3 shear lugs for maximum rigidity and return to zero.



Attributes

- Name: [GEISSELE AUTOMATICS HIGH OPTIC MOUNT 1.93" FOR TRIJICON MRO MATTE BLACK](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 100030464
- Mfr. No.: 05-544B
- Colour: Matte Black
- Fits / Used For: Trijicon MRO
- Height: 1.93"
- Weapon type: AR-15
- Delivery weight: 0.079kg
- Shipping height: 51mm
- Shipping width: 127mm
- Shipping length: 127mm
- UPC: 817953022573

Item details

Made in USA

Table of Contents

- Startpage
- SUPER PRECISION TRIJICON MRO OPTIC MOUNT SAFETY INSTRUCTIONS
- About Us

SUPER PRECISION TRIJICON MRO OPTIC MOUNT SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Super Precision Trijicon MRO Optic Mount. This product is designed to provide a secure and reliable mounting solution for your Trijicon MRO and similar red dot optics. To ensure safe and effective use, please read and follow all safety instructions outlined in this guide.

General Safety Guidelines

- Ensure the mount is compatible with your optic and weapon before installation.
- Regularly inspect the mount for any signs of wear or damage.
- Always ensure that the mount is securely attached before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not exceed the recommended clamping force of 1,400 pounds.
- Avoid using the mount in extreme temperatures or environmental conditions that may affect its integrity.
- Ensure that the optic is properly zeroed after installation to avoid misalignment during use.
- Use appropriate tools when installing or adjusting the mount to prevent damage.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: a torque wrench, a screwdriver, and any other tools required for your specific firearm.
- Ensure that the firearm is unloaded and pointed in a safe direction during installation.

2. Installation Steps:

- Align the mount with the designated mounting points on your firearm.
- Secure the mount using the provided hardware, following the manufacturer's torque specifications.
- Verify that the mount is tightly secured and does not move when pressure is applied.

3. Optic Attachment:

- Attach the Trijicon MRO optic to the mount, ensuring it is properly aligned.
- Tighten the optic screws to the manufacturer's specifications to ensure a secure fit.

4. Final Checks:

- Perform a visual inspection to ensure all components are properly installed.
- Conduct a function check by cycling the firearm to ensure smooth operation.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Recycle materials where applicable to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the Super Precision Trijicon MRO Optic Mount, please reach out to the appropriate support channels provided by your retailer or the manufacturer.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk