

AR-15 EPSILON 65 MUZZLE BRAKE 6.5 CREEDMOOR - EPSILON 65 MUZZLE BRAKE 6.5 CREEDMOOR 5/8-24 SS BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Recoil, Muzzle Rise & Flash Signature Reduction in One Compact Package

The VG6 Epsilon 65 from Aero Precision extends the benefits of the popular Epsilon muzzle device to rifles chambered in 6.5 Creedmoor, 6.5 Grendel, 6.8 Remington SPC, and similar calibers. Combining the benefits of a muzzle brake, compensator AND flash suppressor in one package, the innovative Epsilon 65 counteracts muzzle rise to help you stay on target during rapid fire, while lessening felt recoil to reduce the punishment your shoulder takes during long shooting sessions. VG6 Epsilon 65 has a carefully engineered internal chamber that manages gas flow to spread out the recoil impulse - leading to that reduction in "felt" recoil. Most of the gas vents out the sides, while six valve holes on the underside of the Epsilon 65 further balance gas flow to promote comfortable shooting. Three prongs up front substantially reduce the flash signature. With no vents at the 12 o'clock position, the VG6 Epsilon 65 has no distracting flash to interfere with your view of the target. Aggressively cut channels along the length of the device eliminate metal where it's not needed, so overall weight is kept to a minimum. Machined 17-4 PH stainless steel heat-hardened to Rc 68 (Rockwell C) for excellent resistant to blast erosion. Fits 5/8"-24 tpi muzzle threads. 2.6 oz. wt. Comes with crush washer for fast, easy "timing".



Attributes

- Name: [EPSILON 65 MUZZLE BRAKE 6.5 CREEDMOOR 5/8-24 SS BLACK](#)
- Manufacturer: [VG6 PRECISION](#)
- Product no.: 100031180
- Mfr. No.: APVG100033A
- Caliber: 265/6.5 mm (.265)
- Finish: Black
- Material: Stainless Steel
- Threads: 5/8-24
- Delivery weight: 0.102kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 815421026283

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 EPSILON 65 MUZZLE BRAKE 6.5 CREEDMOOR
- About Us

Safety Instruction Guide for AR15 EPSILON 65 MUZZLE BRAKE 6.5 CREEDMOOR

Introduction

Thank you for choosing the AR15 EPSILON 65 MUZZLE BRAKE. This product is designed to enhance your shooting experience by reducing recoil and muzzle rise. To ensure safe and effective use, please carefully read and follow these safety instructions.

General Safety Guidelines

- Always treat this product as if it is loaded.
- Keep the muzzle pointed in a safe direction at all times.
- Ensure that you are familiar with local laws regarding the use of muzzle brakes.
- Use only with firearms that are compatible with the 6.5 Creedmoor caliber.
- Regularly inspect the muzzle brake for wear or damage.
- Store the product in a secure location, out of reach of children and unauthorized users.
- Report any unsafe product incidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):** Always wear appropriate eye and ear protection when using firearms equipped with this muzzle brake.
- **Installation Precautions:** Ensure that the muzzle brake is installed correctly and securely to avoid accidents.
- **Shooting Environment:** Use this muzzle brake only in designated shooting ranges or safe shooting environments.
- **Handling:** Do not attempt to modify the muzzle brake in any way. Modifications can compromise safety and performance.
- **Recoil Management:** Be aware that while this muzzle brake reduces recoil, it may not eliminate it entirely. Always maintain a proper shooting stance.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing muzzle device, if applicable, by following the manufacturer's instructions.
- Clean the muzzle threads to ensure proper fit.
- Screw the AR15 EPSILON 65 MUZZLE BRAKE onto the muzzle threads (5/8"24 tpi) until snug.
- Use the provided crush washer to assist with proper timing and alignment.
- Tighten securely, but do not overtighten to avoid damaging the threads.

2. Usage:

- Always verify that the muzzle brake is securely attached before firing.
- Fire the firearm only in a controlled environment, ensuring that all safety measures are in place.
- Monitor the performance of the muzzle brake during use. If you notice any unusual sounds or behavior, cease use immediately and inspect the device.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding firearm accessories.
- Do not dispose of in regular household waste. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the AR15 EPSILON 65 MUZZLE BRAKE, please refer to your local dealer or manufacturer's website for assistance.

Conclusion

Your safety and the safety of others is paramount. By following these guidelines, you can ensure a safe and enjoyable shooting experience with your AR15 EPSILON 65 MUZZLE BRAKE. Always prioritize safety and stay informed about best practices in firearm use. Thank you for your attention to these important safety instructions.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at