

CUSTOM GRADE FULL LENGTH HANDGUN SIZING DIES - 9MM LUGER FULL LENGTH DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Hornady Custom Grade Full Length Sizing Die has precise machining that allows accurate reloading by offering easier adjustments, better alignment and smooth functioning. With one of the finest internal finishes in the industry the Custom Grade Full Length Sizing Die provides a lifetime of reloading. They are so well crafted that they are guaranteed never to break or wear out from normal use.



Attributes

- Name: [9MM LUGER FULL LENGTH DIE](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031646
- Mfr. No.: 046516
- Die Style: Full Length Die
- Náboje: 9 mm Luger
- Delivery weight: 0.218kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 152mm
- UPC: 090255465167

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [CUSTOM GRADE FULL LENGTH HANDGUN SIZING DIES 9MM LUGER Safety Instruction Guide](#)
- [About Us](#)

CUSTOM GRADE FULL LENGTH HANDGUN SIZING DIES 9MM LUGER Safety Instruction Guide

Introduction

Thank you for choosing the Hornady Custom Grade Full Length Sizing Die for your reloading needs. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read this manual carefully before using the die.

General Safety Guidelines

- Always handle the die with care to prevent injury.
- Ensure that your work area is clean and welllit.
- Wear appropriate safety equipment, including safety glasses and gloves.
- Keep the die and all reloading components out of reach of children and unauthorized users.
- Regularly inspect the die for any signs of wear or damage before use.
- Follow all local laws and regulations related to reloading and ammunition.

Specific Safety Precautions for Use

- Ensure the die is compatible with your specific reloading setup.
- Always use the die in a wellventilated area to avoid inhaling any dust or particles.
- Do not exceed the recommended load specifications for the 9mm Luger cartridge.
- Avoid using the die if you are tired, distracted, or under the influence of drugs or alcohol.
- In case of any malfunction or irregularities during use, stop immediately and inspect the die.

Instructions for Installation and Usage

1. Installation:

- Securely mount the die in your reloading press according to the manufacturer's instructions.
- Ensure that the die is properly aligned and tightened to avoid movement during operation.

2. Usage:

- Prepare your brass cases by cleaning and inspecting them prior to resizing.
- Adjust the die according to the specific requirements of the 9mm Luger cartridge.
- Insert the brass case into the die, ensuring it is seated correctly.
- Operate the reloading press smoothly and steadily, applying even pressure.
- After resizing, check each case for proper dimensions and any signs of damage.

3. Maintenance:

- Clean the die regularly to remove any debris or residue.
- Store the die in a dry, safe place when not in use to prevent rust and damage.
- If the die shows signs of wear or damage, discontinue use and contact the manufacturer for assistance.

Disposal Instructions

- Dispose of any damaged or wornout components in accordance with local regulations.
- Recycle materials where possible, following your local recycling guidelines.
- Do not dispose of any hazardous materials improperly.

Contact Information for Further Support

For any questions or concerns regarding the use of the Hornady Custom Grade Full Length Sizing Die, please consult the manufacturer's website or contact their customer service department directly for assistance.

Conclusion

By following these safety instructions, you can ensure a safe and effective reloading experience with the Hornady Custom Grade Full Length Sizing Die. Always prioritize safety and consult this guide whenever you have questions about the proper use of the product.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz