

# LOCK-N-LOAD HEADSPACE BUSHINGS - 0.350" HEADSPACE BUSHING

[Reloading](#) > [Measuring Tools](#) > [Case Gauges & Headspace Tools](#)

The Hornady Lock-N-Load Headspace Gauge is perfect for measuring from the case-head to the datum line on the case shoulder to allow proper brass resizing for a precise fit with the rifle chamber. Bushing fit the comparator body and attach to calipers with a thumb screw.



## Attributes

- Name: [0.350" HEADSPACE BUSHING](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031833
- Mfr. No.: B350
- Delivery weight: 0.043kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 090255704303

## Item details

Made in USA

# Table of Contents

- Startpage
- LOCKNLOAD HEADSPACE BUSHINGS Safety Instruction Guide
- About Us

# LOCKNLOAD HEADSPACE BUSHINGS Safety Instruction Guide

## Introduction

Thank you for choosing the Hornady LockNLoad Headspace Bushings. This product is designed to help you achieve precise brass resizing for a perfect fit with your rifle chamber. To ensure safe and effective use, please read this safety instruction guide thoroughly before using the product.

## General Safety Guidelines

- Ensure the product is used only for its intended purpose as described in the product specifications.
- Always handle tools and equipment with care to prevent accidents and injuries.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear. Do not use if damaged.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

## Specific Safety Precautions for Use

- Use the LockNLoad Headspace Bushings only with compatible calipers and comparator bodies.
- Ensure that the bushing is securely attached to the caliper using the thumb screw before taking measurements.
- Avoid applying excessive force when measuring to prevent damage to the bushing or calipers.
- Do not use the product in wet or humid conditions to avoid corrosion and ensure accurate measurements.
- Always follow the manufacturer's instructions for use and maintenance.

## Instructions for Installation and Usage

### 1. Installation of Bushing:

- Select the appropriate bushing size for your measurement needs (in this case, 0.350").
- Align the bushing with the comparator body.
- Secure the bushing in place using the thumb screw provided.

### 2. Using the Headspace Gauge:

- Attach the calipers to the bushing securely.
- Position the gauge against the case head and ensure it is properly seated against the datum line on the case shoulder.
- Read the measurement displayed on the calipers.

### 3. After Use:

- Carefully detach the calipers from the bushing.
- Clean the bushing and calipers to remove any debris or residue.
- Store the product in a dry place to prevent damage.

## Disposal Instructions

- Dispose of the product in accordance with local regulations for nonhazardous materials.
- If the product is damaged or no longer usable, consider recycling it if possible.
- Do not dispose of the product in household waste if it contains hazardous materials.

## **Contact Information for Further Support**

For any questions or concerns regarding the use and safety of the Hornady LockNLoad Headspace Bushings, please refer to the manufacturer's customer support resources or your point of purchase.

By following these safety instructions, you can ensure a safe and effective experience with your Hornady LockNLoad Headspace Bushings. Thank you for prioritizing safety in your reloading practices.

# About Us

## **Brownells Česká republika**

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)