

LOCK-N-LOAD HEADSPACE BUSHINGS - 0.375" HEADSPACE BUSHING

[Reloading](#) > [Measuring Tools](#) > [Case Gauges & Headspace Tools](#)

The Hornady Lock-N-Load Headspace Gauge is perfect for measuring from the case-head to the datum line on the case shoulder to allow proper brass resizing for a precise fit with the rifle chamber. Bushing fit the comparator body and attach to calipers with a thumb screw.



Attributes

- Name: [0.375" HEADSPACE BUSHING](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031834
- Mfr. No.: C375
- Delivery weight: 0.041kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 090255704471

Item details

Made in USA

Table of Contents

- Startpage
- LOCKNLOAD HEADSPACE BUSHINGS 0.375" HEADSPACE BUSHING Safety Instructions
- About Us

LOCKNLOAD HEADSPACE BUSHINGS 0.375" HEADSPACE BUSHING Safety Instructions

Introduction

Thank you for choosing the Hornady LockNLoad Headspace Bushing. This product is designed to assist in measuring the headspace of your brass, ensuring proper resizing for a precise fit with your rifle chamber. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for signs of wear or damage.
- Do not use the product if it is damaged or malfunctioning.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure the bushing is securely attached to the comparator body before use.
- Use the thumb screw to fasten the bushing to calipers properly.
- Avoid applying excessive force when measuring to prevent damage.
- Do not exceed the recommended specifications for the product.
- Wear appropriate safety gear, such as safety glasses, when using the product.

Instructions for Installation and Usage

1. Installation of the Bushing:

- Remove the bushing from its packaging.
- Align the bushing with the comparator body.
- Securely attach the bushing using the thumb screw, ensuring it is tight but not overly tightened to avoid stripping the screw.

2. Using the Headspace Gauge:

- Place the case in the appropriate position for measurement.
- Adjust the calipers to measure from the casehead to the datum line on the case shoulder.
- Take readings carefully, ensuring the calipers are held steady during measurement.

3. After Use:

- Remove the bushing from the comparator body and clean it if necessary.
- Store the bushing in a safe, dry place to prevent damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste if it is damaged or contains hazardous materials.
- Consider recycling options if available.

Contact Information for Further Support

For any inquiries related to safety or to report unsafe products, please reach out to the appropriate authorities or visit the EU Safety Gate platform for updates on product recalls and safety alerts.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz