

LOCK-N-LOAD HEADSPACE BUSHINGS - 0.400" HEADSPACE BUSHING

[Reloading](#) > [Measuring Tools](#) > [Case Gauges & Headspace Tools](#)

The Hornady Lock-N-Load Headspace Gauge is perfect for measuring from the case-head to the datum line on the case shoulder to allow proper brass resizing for a precise fit with the rifle chamber. Bushing fit the comparator body and attach to calipers with a thumb screw.



Attributes

- Name: [0.400" HEADSPACE BUSHING](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031835
- Mfr. No.: D400
- Delivery weight: 0.041kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 090255704549

Item details

Made in USA

Table of Contents

- Startpage
- LOCKNLOAD HEADSPACE BUSHINGS Safety Instruction Guide
- About Us

LOCKNLOAD HEADSPACE BUSHINGS Safety Instruction Guide

Introduction

Thank you for choosing the Hornady LockNLoad Headspace Bushings. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always handle the product with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Only use the LockNLoad Headspace Bushings for their intended purpose, which is measuring headspace for brass resizing.
- Avoid using the product in wet or damp conditions to prevent slipping or electrical hazards.
- Do not force the bushings onto the comparator body or calipers; ensure a proper fit before use.
- Wear appropriate safety gear, such as safety glasses, when using tools in conjunction with the bushings.
- If you notice any unusual behavior or malfunction during use, stop using the product immediately and consult the manufacturer.

Instructions for Installation and Usage

1. Installation:

- Ensure that the comparator body is clean and free of debris before attaching the bushing.
- Align the bushing with the comparator body and gently press it into place until it fits snugly.
- Secure the bushing using the thumb screw provided, ensuring it is tight but not overly forced.

2. Usage:

- Attach the calipers to the bushing securely.
- Position the case in the comparator body, ensuring it is properly aligned with the datum line on the case shoulder.
- Take the measurement by reading the calipers, ensuring that the reading is clear and accurate.
- After use, carefully detach the calipers and remove the bushing from the comparator body.

Disposal Instructions

- Dispose of the product according to local regulations for nonhazardous materials.
- If the product is damaged or no longer usable, consider recycling materials where applicable.
- Do not dispose of the product in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the Hornady LockNLoad Headspace Bushings,

please contact the manufacturer or visit their official website for additional resources and support.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your Hornady LockNLoad Headspace Bushings. Thank you for your commitment to safety!

About Us

Brownells Switzerland

Brownells Switzerland

www.brownells.ch