

LOCK-N-LOAD HEADSPACE BUSHINGS - 0.420" HEADSPACE BUSHING

[Reloading](#) > [Measuring Tools](#) > [Case Gauges & Headspace Tools](#)

The Hornady Lock-N-Load Headspace Gauge is perfect for measuring from the case-head to the datum line on the case shoulder to allow proper brass resizing for a precise fit with the rifle chamber. Bushing fit the comparator body and attach to calipers with a thumb screw.



Attributes

- Name: [0.420" HEADSPACE BUSHING](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031836
- Mfr. No.: E420
- Delivery weight: 0.039kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 090255704617

Item details

Made in USA

Table of Contents

- Startpage
- LOCKNLOAD HEADSPACE BUSHINGS 0.420" HEADSPACE BUSHING Safety Instruction Guide
- About Us

LOCKNLOAD HEADSPACE BUSHINGS 0.420" HEADSPACE BUSHING Safety Instruction Guide

Introduction

Thank you for choosing the Hornady LockNLoad Headspace Bushing. This product is designed to assist you in accurately measuring headspace for your reloading needs. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep all tools and equipment out of the reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Always follow the manufacturer's instructions for use and maintenance.
- If you encounter any issues with the product, cease use immediately and consult a professional.

Specific Safety Precautions for Use

- Use the LockNLoad Headspace Bushing only with compatible calipers and comparator bodies.
- Avoid using excessive force when attaching the bushing to calipers to prevent damage.
- Do not modify the bushing or any associated tools, as this may lead to unsafe conditions.
- Ensure that you are wearing appropriate safety gear, such as safety glasses, when using this product.
- Be aware of your surroundings and ensure that you have a clear workspace free of distractions.

Instructions for Installation and Usage

1. Installation of the Bushing:

- Select the appropriate bushing size (in this case, 0.420").
- Align the bushing with the comparator body.
- Secure the bushing in place using the thumb screw, ensuring it is tightly fastened but not overly tightened to avoid damage.

2. Measuring Headspace:

- Place the resized brass case onto the comparator body.
- Use the calipers to measure from the casehead to the datum line on the case shoulder.
- Record the measurement for further analysis and adjustments.

3. PostUse Care:

- After use, clean the bushing and calipers to remove any debris.
- Store the bushing in a dry, safe place to prevent damage or corrosion.

Disposal Instructions

- Dispose of the product in accordance with local regulations and guidelines for nonhazardous materials.
- Do not dispose of the product in household waste. Instead, consider recycling options available in your area.

Contact Information for Further Support

- For safety inquiries or additional support regarding the LockNLoad Headspace Bushing, please reach out to the manufacturer's customer service or visit their website for more information.

By following these guidelines, you can ensure a safe and effective experience with your Hornady LockNLoad Headspace Bushing. Thank you for your attention to safety.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz