

# MATCH GRADE BUSHING - 0.286" MATCH GRADE BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

The Hornady match Grade Dies feature interchangeable neck sizing bushings that are self centering. The bushings allow the user to size the case neck to the bullet tension you desire. This eliminates the chance of over-sizing your case necks and overworking the brass. Bushings are available in .002 inch increments. The Match Grade Full Length Die will size the case body, bump the shoulder and size the case neck with the selected bushing. The Match Grade Neck Die sizes the neck with the installed bushing and bumps the shoulder only (no body sizing). Both versions feature a self centering decap spindle with an o-ring spindle tensioner, and the elliptical expander ball with headed decap pin - the same pin used in the Custom Grade Dies. These bushing sizer dies have some unique features and are very well made and finished.



## Attributes

- Name: [0.286" MATCH GRADE BUSHING](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031844
- Mfr. No.: 594286
- Diameter (Breech): -
- Diameter (in): .286
- Delivery weight: 0.136kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm
- UPC: 090255592863

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MATCH GRADE BUSHING 0.286"](#)
- [About Us](#)

# Safety Instruction Guide for MATCH GRADE BUSHING 0.286"

## Introduction

Thank you for choosing the Hornady Match Grade Bushing 0.286". This product is designed to enhance your reloading experience by providing precise neck sizing for your cartridges. To ensure safe and effective use, please follow the safety instructions outlined in this guide.

## General Safety Guidelines

- Always read and understand the product manual before use.
- Ensure that the workspace is clean, welllit, and free from distractions.
- Keep the product out of reach of children and vulnerable individuals.
- Use personal protective equipment (PPE) such as safety glasses and gloves when handling reloading equipment.
- Regularly inspect the bushing and related tools for wear and damage before use.
- Report any unsafe conditions or accidents to the relevant authorities immediately.

## Specific Safety Precautions for Use

- Do not exceed the recommended sizing increments when using the bushings.
- Ensure that the bushing is properly seated in the die before use to prevent accidents.
- Avoid using the bushing with incompatible components or materials.
- Do not attempt to modify or alter the bushing or die in any way.
- Always follow the manufacturer's instructions for loading and reloading ammunition.
- Be aware of the potential for brass shavings and other debris when sizing; clean the area after use.

## Instructions for Installation and Usage

### 1. Installation of the Bushing:

- Ensure the die is clean and free from debris.
- Select the appropriate bushing based on the desired neck tension.
- Insert the bushing into the die until it is fully seated.
- Secure the bushing by tightening the locking mechanism, if applicable.

### 2. Using the Match Grade Full Length Die:

- Place the case in the shell holder.
- Raise the ram to size the case body, bump the shoulder, and size the neck using the selected bushing.
- Lower the ram and remove the sized case.

### 3. Using the Match Grade Neck Die:

- Place the case in the shell holder.
- Raise the ram to size the neck with the installed bushing and bump the shoulder only.
- Lower the ram and remove the sized case.

### 4. PostUse Care:

- Clean the die and bushing after each use to prevent corrosion and buildup.

- Store the bushing and die in a dry, safe location.

## **Disposal Instructions**

- Dispose of any damaged or worn bushings and dies in accordance with local regulations.
- Do not dispose of reloading materials or components in regular household waste.
- Check with your local waste management authority for proper disposal methods for hazardous materials.

## **Contact Information for Further Support**

For any questions or concerns regarding the use of the Hornady Match Grade Bushing 0.286", please refer to the manufacturer's contact information provided on the packaging or product manual.

## **Conclusion**

By following these safety instructions, you can ensure a safe and effective reloading experience with the Hornady Match Grade Bushing 0.286". Always prioritize safety and adhere to the guidelines to minimize risks associated with reloading. Thank you for your attention to these important safety measures.

# About Us

## **Brownells Česká republika**

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)