

# RIMFIRE SCOPE RINGS - TALLEY 30MM HIGH (0.60") 11MM CZ RINGS, BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

## Provide Precise Fit To Receiver

Machined from steel bar stock to provide a strong mounting system with a smooth profile. Precision cut dovetails have the correct angle for an exact fit. Torx® clamp screws snug down tightly for maximum holding power.



## Attributes

- Name: [TALLEY 30MM HIGH \(0.60"\) 11MM CZ RINGS, BLACK](#)
- Manufacturer: [TALLEY](#)
- Product no.: 100031991
- Mfr. No.: 30CZRH
- Finish: Polished Blue
- Height: .600"
- Model: 452
- Scope Tube Diameter: 30mm
- Size: High
- Style: Lightweight
- Weapon type: CZ
- Delivery weight: 0.152kg
- Shipping height: 29mm
- Shipping width: 67mm
- Shipping length: 83mm
- UPC: 810301021693

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [RIMFIRE SCOPE RINGS TALLEY 30MM HIGH \(0.60"\) 11MM CZ RINGS, BLACK Safety Instruction Guide](#)
- [About Us](#)

# RIMFIRE SCOPE RINGS TALLEY 30MM HIGH (0.60") 11MM CZ RINGS, BLACK Safety Instruction Guide

## Introduction

Thank you for choosing the RIMFIRE SCOPE RINGS TALLEY 30MM HIGH. These scope rings are designed to provide a reliable and secure mounting solution for your optical equipment. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as a mounting system for scopes.
- Always check the product for signs of damage or wear before installation and use.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all installation and usage instructions provided to avoid accidents and injuries.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls and safety updates via the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Potential Hazards:**
  - Improper installation may lead to scope misalignment or detachment.
  - Use of incompatible scopes may result in product failure.
- **Avoiding Hazards:**
  - Always ensure that the scope tube diameter matches the specifications of the rings (30mm).
  - Do not exceed the recommended torque specifications for clamp screws.
  - Ensure that the scope rings are securely tightened before use.
  - Inspect the product regularly for any signs of wear or damage.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a Torx® wrench for clamp screws.
- Ensure that your firearm is unloaded and pointed in a safe direction.

### 2. Installation:

- Place the Talley scope rings onto the base, aligning them with the dovetail grooves.
- Insert the scope into the rings, ensuring that it is positioned correctly for your shooting needs.
- Tighten the Torx® clamp screws evenly and securely, but do not overtighten to avoid damaging the scope or rings.

### 3. Usage:

- After installation, check the alignment of the scope and make necessary adjustments.
- Always verify that the scope is securely mounted before using the firearm.
- Regularly check the tightness of the screws during use, especially after transportation.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.

- Consider recycling options for metal components if available.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the RIMFIRE SCOPE RINGS TALLEY 30MM HIGH, please refer to the manufacturer's contact information provided with the product packaging.

By following these guidelines, you can ensure the safe and effective use of your RIMFIRE SCOPE RINGS TALLEY 30MM HIGH. Thank you for prioritizing safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)