

PISTOL CARBIDE 3 DIE SETS - LEE PRECISION PISTOL CARBIDE 3-DIE SET 455 WEBLEY MARK II

[Reloading](#) > [Reloading Dies](#) > [Handgun Dies](#)

Set includes Carbide Full Length Sizing Die, Bullet Seating Die, Powder Thru Expanding Die, Shell Holder, Powder Dipper and Instructions/Load Data
Carbide dies requires no sizing lube



Attributes

- Name: [LEE PRECISION PISTOL CARBIDE 3-DIE SET 455 WEBLEY MARK II](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032062
- Mfr. No.: 90764
- Cartridge: -
- Die Style: -
- Delivery weight: 0.522kg
- Shipping height: 51mm
- Shipping width: 127mm
- Shipping length: 127mm
- UPC: 734307907648

Item details

Made in USA

Table of Contents

- Startpage
- PISTOL CARBIDE 3 DIE SET Safety Instruction Guide
- About Us

PISTOL CARBIDE 3 DIE SET Safety Instruction Guide

Introduction

Thank you for choosing the PISTOL CARBIDE 3 DIE SET by LEE PRECISION. This guide provides essential safety instructions to ensure the safe use of this product. It is vital to follow these instructions carefully to minimize risks and ensure a safe reloading experience.

General Safety Guidelines

- Ensure that you read and understand all instructions and safety guidelines before using the product.
- Always handle reloading equipment with care and respect.
- Store the die set and all components in a secure place, out of reach of children and unauthorized users.
- Regularly inspect the equipment for any signs of damage or wear.
- Follow all local, state, and federal regulations regarding ammunition reloading.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), including safety glasses, to protect your eyes from potential hazards.
- Keep your work area clean and free from distractions while reloading.
- Ensure that the dies are properly installed before use to avoid accidents.
- Do not exceed recommended load data when reloading ammunition.
- Keep powders and primers away from heat sources and open flames.
- Be aware of potential hazards associated with the materials you are using, including lead exposure from bullets.

Instructions for Installation and Usage

1. Unpack the Die Set

- Carefully remove the die set from its packaging.
- Check all components: Carbide Full Length Sizing Die, Bullet Seating Die, Powder Thru Expanding Die, Shell Holder, Powder Dipper, and Instructions/Load Data.

2. Installation

- Install the Carbide Full Length Sizing Die into your reloading press according to the manufacturer's instructions.
- Ensure that the die is securely tightened to avoid movement during operation.
- Repeat the process for the Bullet Seating Die and Powder Thru Expanding Die.

3. Using the Die Set

- Follow the provided load data for the specific caliber (455 Webley Mark II).
- Use the Powder Dipper to measure the powder accurately.
- Insert the shell holder into the press and ensure it is securely in place.
- Operate the press smoothly and steadily, avoiding sudden movements.

4. PostUse

- Clean the dies after use to maintain their performance and longevity.

- Store the die set in a dry and safe location.

Disposal Instructions

- Dispose of any damaged or worn components responsibly and in accordance with local regulations.
- Do not throw away any materials that may pose an environmental hazard, such as lead or powder residues.
- Check local waste management guidelines for proper disposal methods.

Contact Information for Further Support

For questions or concerns regarding the PISTOL CARBIDE 3 DIE SET, please refer to the manufacturer's website or customer service for assistance.

Conclusion

By following these safety instructions, you can ensure a safe and effective reloading experience with the PISTOL CARBIDE 3 DIE SET. Always prioritize safety and stay informed about best practices in ammunition reloading. Thank you for choosing LEE PRECISION.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk