

6 CAVITY RIFLE BULLET MOLDS - LEE PRECISION 22 CALIBER (0.225") 55GR FLAT NOSE GC MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Rifle Moulds](#)

Machined Aluminum Mold Blocks. Hard Anodized Sprue Plate. Rust resistant aluminum blocks. Lee Precision does not recommend the use of any spray type mold release products in their bullet molds. The use of such products may result in a build-up of the release product in the bullet mold cavity, reducing the diameter of the bullets cast from the treated mold. Instead, Lee Precision recommends smoking the mold with a wooden match, beeswax candle or a butane lighter as described in their provided bullet mold instructions.



Attributes

- Name: [LEE PRECISION 22 CALIBER \(0.225"\) 55GR FLAT NOSE GC MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032132
- Mfr. No.: 90459
- Bullet Weight (Grains): 55
- Caliber: 22 Caliber
- Diameter (in): 0.225
- Delivery weight: 0.522kg
- Shipping height: 51mm
- Shipping width: 127mm
- Shipping length: 330mm
- UPC: 734307904593

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 6 CAVITY RIFLE BULLET MOLDS LEE PRECISION 22 CALIBER (0.225") 55GR FLAT NOSE GC MOLD
- About Us

Safety Instruction Guide for 6 CAVITY RIFLE BULLET MOLDS LEE PRECISION 22 CALIBER (0.225") 55GR FLAT NOSE GC MOLD

Introduction

Thank you for choosing the 6 CAVITY RIFLE BULLET MOLDS by Lee Precision. This guide provides essential safety instructions and usage guidelines to ensure safe and effective use of the product, in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before use.

General Safety Guidelines

- Always use the bullet mold in a wellventilated area to avoid inhaling fumes from the lead.
- Ensure that the mold is free from any moisture or contaminants before use.
- Do not use any spraytype mold release products, as they may cause a buildup in the mold cavity.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check for any signs of wear or damage on the mold before each use.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

• Handling Lead:

- Lead is toxic. Do not eat, drink, or smoke while handling lead.
- Wash your hands thoroughly after handling lead or using the mold.

• Heat Safety:

- The mold will become very hot during use. Always use heatresistant gloves when handling the mold.
- Allow the mold to cool completely before attempting to clean or store it.

• Mold Maintenance:

- Do not use abrasive materials to clean the mold.
- Follow Lee Precision's recommendation to smoke the mold with a wooden match, beeswax candle, or butane lighter before use to ensure proper release of bullets.

Instructions for Installation and Usage

1. Preparation:

- Ensure your workspace is clean and organized.
- Gather all necessary materials, including lead, a heat source, and safety equipment.

2. Smoking the Mold:

- Light a wooden match or beeswax candle.
- Gently smoke the interior surfaces of the mold cavities to create a nonstick surface.

3. Melting Lead:

- Use a lead melting pot to melt the lead until it reaches the appropriate pouring temperature.
- Always follow the manufacturer's instructions for the lead melting pot.

4. Pouring Lead:

- Carefully pour the melted lead into the mold cavities.
- Avoid overfilling to prevent lead spillage.

5. Cooling:

- Allow the lead to cool and solidify in the mold for the recommended time.
- Do not attempt to open the mold until it has cooled sufficiently.

6. Removing Bullets:

- Once cooled, carefully open the mold using heatresistant gloves.
- Remove the cast bullets gently to avoid damaging them.

7. Cleaning the Mold:

- Clean the mold with a soft cloth after each use.
- Store the mold in a dry place to prevent rust and damage.

Disposal Instructions

- Dispose of any lead waste according to local regulations for hazardous materials.
- Do not throw lead or mold components in regular trash.
- Contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of this product, please contact the manufacturer or refer to the product documentation provided with your purchase. Ensure you have the product information ready for efficient assistance.

This guide aims to ensure your safety and enhance your experience with the 6 CAVITY RIFLE BULLET MOLDS. Please follow all instructions carefully to maintain a safe working environment. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk