

2 CAVITY RIFLE BULLET MOLDS - LEE PRECISION 30 CALIBER (0.309") 113GR FLAT NOSE DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Rifle Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All hollow base moulds are single cavity only as they have a self centering, automatic core pin for the fastest possible moulding. All moulds include handles and sprue plates.



Attributes

- Name: [LEE PRECISION 30 CALIBER \(0.309"\) 113GR FLAT NOSE DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032136
- Mfr. No.: 90362
- Bullet Weight (Grains): 113
- Caliber: 30 Caliber
- Cavities: -
- Diameter (in): 0.309
- Delivery weight: 0.408kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307903626

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Rifle Bullet Molds
- About Us

Safety Instruction Guide for 2 Cavity Rifle Bullet Molds

Introduction

Thank you for choosing the 2 Cavity Rifle Bullet Molds by Lee Precision. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before using the product to ensure your safety and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to mold bullets for reloading ammunition.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when using the molds to prevent injury.
- Keep the molds out of reach of children and pets to prevent accidental injury or misuse.
- Regularly inspect the molds for any signs of damage or wear. Do not use damaged molds.
- Store the molds in a cool, dry place when not in use to prevent corrosion and maintain quality.
- Follow all local laws and regulations regarding the use of reloading equipment and ammunition.

Specific Safety Precautions for Use

- Always ensure that the molds are properly clamped to a stable work surface before use to prevent movement during the molding process.
- Use only the recommended materials and temperatures for molding to avoid accidents and ensure the integrity of the molds.
- Be cautious of hot surfaces and materials during and after the molding process to prevent burns.
- Avoid inhaling fumes that may be released during the molding process. Ensure proper ventilation in your workspace.
- Never exceed the maximum temperature recommended for the molds as this can cause damage and increase the risk of accidents.

Instructions for Installation and Usage

1. Setup

- Select a stable, flat surface to work on.
- Securely clamp the mold to the work surface using appropriate clamps.

2. Preparation

- Clean the mold cavities thoroughly before use to remove any debris or residue.
- Preheat the molds according to the manufacturer's recommendations for optimal performance.

3. Molding Process

- Pour the molten lead into the mold cavities carefully, avoiding overfilling.
- Allow the lead to cool and solidify according to the recommended cooling time.
- Once cooled, open the mold carefully to remove the molded bullets.

4. PostUse Care

- Clean the molds after each use to maintain their quality and performance.
- Store the molds in a protective case or bag to prevent dust accumulation and damage.

Disposal Instructions

- Dispose of any waste materials, such as excess lead or damaged molds, in accordance with local regulations for hazardous waste.
- Do not dispose of lead in regular trash. Contact local waste management services for proper disposal methods.

Contact Information for Further Support

For any inquiries related to product safety or support, please refer to the manufacturer's contact information provided with the product packaging or visit the official Lee Precision website.

Please ensure you follow all instructions and safety guidelines to maximize your safety and the performance of your 2 Cavity Rifle Bullet Molds. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk