

2 CAVITY PISTOL BULLET MOLDS - LEE PRECISION 38 CALIBER (0.358") 148GR WADCUTTER MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All molds for pistol calibers are double cavity to speed casting. All Lee mould blocks are made from aluminum because of the exceptional moulding qualities. The mould cavities are CNC machined for unmatched roundness and size control. Most bullets from Lee moulds can be used as cast without sizing. Handles and sprue plate are included.



Attributes

- Name: [LEE PRECISION 38 CALIBER \(0.358"\) 148GR WADCUTTER MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032152
- Mfr. No.: 90312
- Bullet Style: -
- Bullet Weight (Grains): 148
- Caliber: 357 Caliber,38 Caliber
- Cavities: 2
- Diameter (in): 0.358
- Delivery weight: 0.386kg
- Shipping height: 76mm
- Shipping width: 51mm
- Shipping length: 279mm
- UPC: 734307903121

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Pistol Bullet Molds
- About Us

Safety Instruction Guide for 2 Cavity Pistol Bullet Molds

Introduction

Thank you for choosing the 2 Cavity Pistol Bullet Molds from Lee Precision. This guide provides essential safety instructions, precautions, and usage information to ensure the safe and effective use of your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure safe use of the bullet molds by following these guidelines:
 - Always handle molds with care to avoid injury.
 - Keep molds out of reach of children and vulnerable individuals.
 - Only use the molds in a wellventilated area to avoid inhalation of fumes.
 - Wear appropriate personal protective equipment (PPE) such as gloves and safety goggles during use.
 - Regularly inspect molds for any signs of damage or wear before each use.
 - Follow local laws and regulations regarding the use and manufacturing of ammunition.
- In case of an emergency or unsafe situation:
 - Report any unsafe products or accidents to the appropriate authorities.
 - Check for recall updates on the EU Safety Gate platform.

Specific Safety Precautions for Use

- Before using the bullet molds, ensure the following:
 - The molds are clean and free from any debris or contaminants.
 - The casting area is organized and free from distractions.
 - You have all necessary tools and materials ready for use.
- When using the molds:
 - Always allow the molds to cool down completely before handling.
 - Do not overheat the molds beyond the recommended temperature.
 - Use caution when pouring molten lead into the molds to prevent spills and burns.
 - Avoid touching the sprue plate or handles immediately after casting, as they can be very hot.
- If you experience any adverse reactions such as dizziness or skin irritation, stop using the molds immediately and seek medical attention if necessary.

Instructions for Installation and Usage

- Installation:
 - Ensure the working area is clean and wellventilated.
 - Gather all necessary equipment, including a casting pot, lead, and any other tools required.
 - Securely attach the molds to a stable surface or casting bench to prevent movement during use.
- Usage:

- Preheat the molds as per the manufacturer's instructions.
- Melt the lead in a casting pot and ensure it reaches the appropriate temperature.
- Carefully pour the molten lead into the mold cavities, avoiding overfilling.
- Allow the lead to cool and solidify before removing the bullets from the molds.
- Use the sprue plate to cut the excess lead and remove the bullets carefully.

- After use:
 - Clean the molds thoroughly to remove any lead residue.
 - Store the molds in a dry place, away from moisture and direct sunlight.

Disposal Instructions

- Dispose of any excess lead and waste materials according to local regulations.
- Do not dispose of lead in regular household trash.
- If you are unsure about proper disposal methods, contact local waste management authorities for guidance.

Contact Information for Further Support

For any questions or concerns regarding the use or safety of the 2 Cavity Pistol Bullet Molds, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for your attention to these safety instructions. Enjoy safe and successful casting with your Lee Precision bullet molds!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk