

2 CAVITY PISTOL BULLET MOLDS - LEE PRECISION 38 CALIBER (0.358") 150GR ROUND NOSE MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All molds for pistol calibers are double cavity to speed casting. All Lee mould blocks are made from aluminum because of the exceptional moulding qualities. The mould cavities are CNC machined for unmatched roundness and size control. Most bullets from Lee moulds can be used as cast without sizing. Handles and sprue plate are included.



Attributes

- Name: [LEE PRECISION 38 CALIBER \(0.358"\) 150GR ROUND NOSE MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032153
- Mfr. No.: 90328
- Bullet Style: -
- Bullet Weight (Grains): 150
- Caliber: 357 Caliber, 38 Caliber
- Cavities: 2
- Diameter (in): 0.358
- Delivery weight: 0.386kg
- Shipping height: 51mm
- Shipping width: 64mm
- Shipping length: 267mm
- UPC: 734307903282

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 2 Cavity Pistol Bullet Molds](#)
- [About Us](#)

Safety Instruction Guide for 2 Cavity Pistol Bullet Molds

Introduction

Thank you for purchasing the 2 Cavity Pistol Bullet Molds by Lee Precision. This guide provides essential safety instructions to ensure the safe use of this product. Please read and follow these guidelines carefully to avoid potential hazards and ensure a safe casting experience.

General Safety Guidelines

- Always use the molds in a wellventilated area to avoid inhalation of fumes.
- Wear appropriate safety gear, including safety glasses and heatresistant gloves, to protect yourself from burns and debris.
- Keep the molds away from children and pets to prevent accidents.
- Ensure that all equipment is in good working condition before use.
- Follow local regulations regarding the use and storage of casting materials.

Specific Safety Precautions for Use

- **Handling Hot Materials:** The molds can become extremely hot during use. Always handle with heatresistant gloves.
- **Lead Exposure:** Lead can be hazardous to your health. Avoid direct contact with lead and wash your hands thoroughly after handling.
- **Casting Environment:** Ensure that your casting area is free of flammable materials and that you have appropriate fire safety equipment nearby.
- **Mold Maintenance:** Inspect molds regularly for any signs of damage or wear. Do not use damaged molds.

Instructions for Installation and Usage

1. Setup:

- Place the mold on a stable, heatresistant surface.
- Ensure that the mold is clean and free from debris before use.

2. Preheating:

- Preheat the mold to the recommended temperature to ensure proper casting. This helps to achieve better bullet quality.

3. Casting Process:

- Melt the casting material according to the manufacturer's instructions.
- Pour the melted material into the mold cavities carefully to avoid spillage.
- Allow the material to cool and solidify completely before removing the bullets.

4. PostCasting:

- Once cooled, carefully remove the bullets from the mold.
- Inspect the bullets for quality and discard any that do not meet your standards.

Disposal Instructions

- Dispose of any scrap lead and waste materials in accordance with local regulations.
- Do not dispose of lead in regular household trash. Check with local waste management for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or product support, please refer to the manufacturer's contact details provided with your product. You can also stay informed about safety updates and recalls through the EU's Safety Gate platform.

By following these safety instructions, you can enjoy a safe and efficient casting experience with your 2 Cavity Pistol Bullet Molds. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk