

2 CAVITY PISTOL BULLET MOLDS - LEE PRECISION 9MM (0.365") 95GR ROUND NOSE MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All molds for pistol calibers are double cavity to speed casting. All Lee mould blocks are made from aluminum because of the exceptional moulding qualities. The mould cavities are CNC machined for unmatched roundness and size control. Most bullets from Lee moulds can be used as cast without sizing. Handles and sprue plate are included.



Attributes

- Name: [LEE PRECISION 9MM \(0.365"\) 95GR ROUND NOSE MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032154
- Mfr. No.: 90466
- Bullet Style: -
- Bullet Weight (Grains): 95
- Caliber: 9mm
- Cavities: 2
- Diameter (in): 0.365
- Delivery weight: 0.386kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307904661

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Pistol Bullet Molds Lee Precision 9mm (0.365") 95gr Round Nose Mold
- About Us

Safety Instruction Guide for 2 Cavity Pistol Bullet Molds Lee Precision 9mm (0.365") 95gr Round Nose Mold

Introduction

Thank you for purchasing the Lee Precision 2 Cavity Pistol Bullet Molds. This guide provides essential safety instructions and guidelines to ensure the safe use of your bullet molds. Please read this manual carefully before using the product to minimize risks and ensure a safe casting experience.

General Safety Guidelines

- Ensure that all users are familiar with the product and its intended use.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when using the molds.
- Keep the working area clean and free from clutter to prevent accidents.
- Do not use the molds for any purpose other than intended.
- Ensure that children and pets are kept away from the working area.
- If you notice any damage to the molds, do not use them and contact the manufacturer for support.
- Regularly check for updates on product recalls or safety notices through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always allow the molds to cool completely before handling.
- Use only recommended materials for casting to avoid chemical reactions or hazards.
- Ensure that your casting equipment is properly maintained and in good working condition.
- Be cautious of hot surfaces and materials; burns can occur.
- Do not leave molten lead unattended, as it poses a fire hazard.
- Follow local regulations regarding lead handling and disposal.
- Store molds in a dry, cool place when not in use to prevent corrosion.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary materials and tools, including lead, a melting pot, and casting tools.
- Ensure your workspace is wellventilated and free from flammable materials.

2. Setting Up the Mold:

- Before use, clean the mold cavities with a suitable cleaning agent to remove any residues from manufacturing.
- Apply a light coat of mold release agent to the cavities to facilitate easy bullet removal.

3. Casting Process:

- Heat the melting pot and allow the lead to melt completely.
- Pour the molten lead into the mold cavities, filling them to the brim.
- Allow the lead to cool and solidify before removing the bullets from the mold.

4. PostCasting:

- Once the bullets have cooled, carefully open the mold and remove the bullets.
- Inspect the bullets for any defects or irregularities.
- Clean the mold after each use to maintain its quality and performance.

5. Storage:

- Store the molds in a dry and safe location, away from moisture and extreme temperatures.
- Keep the molds in their original packaging or in a dedicated storage container to prevent damage.

Disposal Instructions

- Dispose of any lead scrap or defective bullets in accordance with local regulations regarding hazardous waste.
- Do not dispose of lead in regular trash; instead, contact local waste management authorities for proper disposal methods.
- Ensure that any cleaning materials used are disposed of safely, following local environmental guidelines.

Contact Information for Further Support

For any questions or concerns regarding the use of your Lee Precision 2 Cavity Pistol Bullet Molds, please refer to the manufacturer's contact information included with your product.

Remember to always prioritize safety when using this product and stay informed about best practices for handling lead and casting materials.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk