

# R.E.A.L. BULLET & COMBO MOLDS - LEE PRECISION 50 CALIBER 320GR REAL, 0.502" ROUND BALL MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

The Lee Combo moulds cast one REAL bullet and one round ball bullet. The REAL bullet features driving bands that are large enough to adequately engage the rifling when pushed in to the muzzle, yet thin enough to withstand maximum charges without stripping or gas cutting.



## Attributes

- Name: [LEE PRECISION 50 CALIBER 320GR REAL, 0.502" ROUND BALL MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032188
- Mfr. No.: 90396
- Delivery weight: 0.386kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307903961

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for R.E.A.L. BULLET & COMBO MOLDS LEE PRECISION 50 CALIBER 320GR REAL, 0.502" ROUND BALL MOLD
- About Us

# **Safety Instruction Guide for R.E.A.L. BULLET & COMBO MOLDS LEE PRECISION 50 CALIBER 320GR REAL, 0.502" ROUND BALL MOLD**

## **Introduction**

Thank you for choosing the R.E.A.L. Bullet & Combo Molds by Lee Precision. This product is designed for use in muzzleloading applications. To ensure your safety and the safety of others, please read and follow these safety instructions carefully.

## **General Safety Guidelines**

- Always use the product in accordance with the manufacturer's instructions.
- Ensure that the product is used only by individuals who are knowledgeable about muzzleloading equipment and safety practices.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before each use.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

## **Specific Safety Precautions for Use**

- Use eye protection when casting bullets or using the molds.
- Work in a wellventilated area to avoid inhaling fumes.
- Avoid direct contact with hot surfaces and molten lead.
- Ensure that your work area is free from flammable materials.
- Do not leave the product unattended while in use.
- Always allow the molds to cool before handling.
- Be cautious of lead exposure; wash hands thoroughly after use.

## **Instructions for Installation and Usage**

### **1. Setup**

- Ensure that you have a stable, heatresistant work surface.
- Gather all necessary materials, including lead, a heat source, and safety equipment.

### **2. Casting Bullets**

- Preheat the mold by placing it on a heat source for a few minutes.
- Pour molten lead into the mold cavities, filling them completely.
- Allow the lead to cool and solidify before removing the bullets.
- Use a mallet or appropriate tool to gently tap the mold if needed to release the bullets.

### **3. Cleaning and Maintenance**

- After use, clean the molds with a soft brush to remove any lead residue.
- Store the molds in a dry place to prevent rust and corrosion.
- Regularly check for any damage or wear, and replace if necessary.

## **Disposal Instructions**

- Dispose of any lead waste in accordance with local regulations.
- Do not dispose of lead in regular household waste.
- Contact your local waste management facility for guidance on hazardous waste disposal.

## **Contact Information for Further Support**

For any inquiries or additional support regarding the R.E.A.L. Bullet & Combo Molds, please refer to the manufacturer's website or customer service resources. Ensure that you have the product information available for a more efficient response.

By following these guidelines, you can ensure a safe and effective experience with your R.E.A.L. Bullet & Combo Molds. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)