

ARCALOCK MLOK ATTACHMENT - AREA 419 ARCALOCK DOVETAIL RAIL 12 M-LOK BLACK

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

Improved Dovetail Technology for Your Precision Rifle

ARCALOCK MLOK ATTACHMENT Area 419 is always looking for ways to improve existing products when Area 419 are not developing new technologies. With the rapid growth in popularity of ARCA rails in precision rifle, they saw a need to improve this great dovetail technology to something that could be mechanically locked in place instead of just friction. If you have ever tried using a Barricade stop on an existing ARCA rail, you've probably also seen it slide under much pressure. Introducing the ARCALOCK Dovetail Rail System *Rail is only locking with an Area 419 clamp* Rail Features: Serrated rail sides interface with Area 419's proprietary clamp design to mechanically lock it in place so no movement is possible. Serrations are not sharp, will not damage bags or your hands. Rail is backwards compatible with standard Arca accessories, but will not be locking without Area 419's clamp. Arcalock Dovetail Rail 6" M-LOK is 6" long and weighs in at a paltry 2.2oz.

NOTE: THIS RAIL REQUIRES 3 CONSECUTIVE MLOK SLOTS TO ATTACH.
Arcalock Dovetail Rail 12" M-LOK is 12" long giving you the entire length of the stock forend for attachments. The best part is, it still only weighs in at a paltry 4.1oz. NOTE: THIS RAIL REQUIRES 6 CONSECUTIVE MLOK SLOTS TO ATTACH.
FOR STOCKS WITH FEWER MLOK SLOTS, YOU'LL WANT A 12" UNIVERSAL RAIL WITH MLOK ATTACHMENT NUTS SPECS Made to the RRS 1.5" Dovetail Standard, so you can be sure lever clamps will work. No sharp edges. Every corner is radiused, and every edge is chamfered on the machine. This takes longer to make, but it is the only right way. Type 3 Hard Coat anodized for additional durability. Made from 6061-T6 Aluminum. Made in-house in the USA from USA sourced Aluminum on USA made CNCs. Rail comes with all M-LOK mounting hardware.



Attributes

- Name: [AREA 419 ARCALOCK DOVETAIL RAIL 12 M-LOK BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 100032673
- Mfr. No.: 419-ALK-MLOK12
- Attachment: Adapter Mount
- Delivery weight: 0.218kg
- Shipping height: 61mm
- Shipping width: 56mm
- Shipping length: 399mm
- UPC: 853675008709

Item details

Made in USA

Table of Contents

- Startpage
- ARCALOCK MLOK ATTACHMENT Safety Instructions
- About Us

ARCALOCK MLOK ATTACHMENT Safety Instructions

Introduction

Thank you for choosing the ARCALOCK MLOK ATTACHMENT AREA 419 ARCALOCK DOVETAIL RAIL 12 MLOK BLACK. This product has been designed with safety and performance in mind. Please read these safety instructions carefully to ensure the safe and effective use of this product.

General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- Regularly inspect the product for any signs of wear or damage before use.
- Keep the product out of reach of children and vulnerable individuals.
- Use only compatible accessories with the ARCALOCK Dovetail Rail to avoid accidents.
- Report any unsafe conditions or product malfunctions to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the rail is securely attached to the firearm before use.
- Do not exceed the recommended weight capacity of the rail.
- Be cautious when using the rail in highpressure situations, such as competitive shooting or tactical scenarios.
- Avoid placing your hands or any body parts near the serrated edges when attaching or detaching accessories.
- If using with a barricade stop, ensure it is properly locked in place to prevent slippage.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and safe to handle.
- Gather all necessary tools and MLOK mounting hardware included with the rail.

2. Installation

- Identify the location on your firearm where the rail will be attached.
- Ensure you have at least 6 consecutive MLOK slots available for the 12" rail.
- Align the rail with the MLOK slots and insert the mounting hardware.
- Tighten the hardware securely, ensuring the rail is firmly attached.

3. Usage

- To attach accessories, ensure they are compatible with the ARCALOCK Dovetail Rail.
- Slide the accessory into place and ensure it is locked using the Area 419 clamp.
- Perform a final check to ensure everything is secure before use.

4. Maintenance

- Regularly clean the rail and inspect for any signs of wear or damage.
- Replace any damaged parts immediately to ensure safe operation.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling the aluminum components where possible.

Contact Information for Further Support

For any inquiries regarding safety, usage, or product support, please refer to the manufacturer's website or contact their customer service for assistance.

Thank you for your attention to these safety guidelines. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk