

HELLFIRE 2P SELF TIMING MUZZLE BRAKE - AREA 419 30 CALIBER HELLFIRE 2P (6.5MM-30) MUZZLE BRAKE, BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Optimized Brake for Barrels of 20 or Less

The Area 419 HELLFIRE 2P Muzzle Brake is designed to provide an optimized brake for Semi-Automatic and/or hunting weapons systems with barrels of 20" or less. This brake will offer the greatest performance possible while maintaining shooter comfort. The HELLFIRE is extremely easy to install, and the brake will not turn as you torque the collar to lock. Simple round knurled nut that requires no tools to time the brake. Made from heat treated 17-4PH Stainless Steel Brakes will be available in Black Nitride finish (all universal adapters will be black) Manufactured on state of the art CNC Machines right here in NW Ohio. 100% Made in USA. 1" OD Brake, 1.1" OD collar (meets 3-Gun standard for limited class) Brake assembly will add 2.6" from the thread shoulder (approx 2" added to OAL of barrel) Slightly rearward facing ports offer the ideal balance of recoil reduction and shooter comfort. A proprietary port design controls muzzle rise without the use of top porting. The face of the HELLFIRE brake is engraved with caliber to indicate the top for correct orientation, and a horizontal line to aid in leveling.



Attributes

- Name: [AREA 419 30 CALIBER HELLFIRE 2P \(6.5MM-30\) MUZZLE BRAKE, BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 100032684
- Mfr. No.: 419HF-2P-30
- Caliber: 30 Caliber, 7mm, 6.5mm
- Finish: Black
- Material: Stainless Steel
- Threads: 5/8-24
- Delivery weight: 0.186kg
- Shipping height: 43mm
- Shipping width: 86mm
- Shipping length: 150mm
- UPC: 853675008754

Item details

Made in USA

Table of Contents

- Startpage
- HELLFIRE 2P Self Timing Muzzle Brake Safety Instruction Guide
- About Us

HELLFIRE 2P Self Timing Muzzle Brake Safety Instruction Guide

Introduction

Thank you for choosing the HELLFIRE 2P Self Timing Muzzle Brake by Area 419. This product is designed to enhance the performance of your semiautomatic or hunting weapon systems with barrels of 20 inches or less. It is essential to follow safety guidelines to ensure safe and effective use of this product.

General Safety Guidelines

- Always handle firearms and related accessories with care.
- Ensure that the muzzle brake is compatible with your firearm before installation.
- Keep the muzzle brake out of reach of children and unauthorized users.
- Regularly inspect the muzzle brake for any signs of wear or damage.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms.
- Be aware of your surroundings and ensure a safe shooting environment.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or removing the muzzle brake.
- Follow the manufacturer's instructions for installation and usage to avoid potential hazards.
- Do not exceed the recommended torque specifications when securing the muzzle brake.
- Avoid using the muzzle brake with ammunition that exceeds its caliber specifications.
- Monitor the muzzle brake during use for any unusual signs, such as excessive heat or movement.
- Do not attempt to modify the muzzle brake in any way.
- If you experience any malfunctions or issues while using the muzzle brake, cease use immediately and seek assistance.

Instructions for Installation and Usage

Installation

1. Ensure that your firearm is unloaded and pointed in a safe direction.
2. Remove any existing muzzle device from the firearm's muzzle.
3. Clean the muzzle threads to ensure proper installation.
4. Align the HELLFIRE 2P Muzzle Brake with the threads on the firearm.
5. Handtighten the muzzle brake onto the threads.
6. Use a round knurled nut to secure the muzzle brake without the need for tools.
7. Ensure that the brake is timed correctly; the engraved caliber should be facing upwards for proper orientation.
8. Once installed, check that the muzzle brake is secure and does not rotate.

Usage

- Always check the firearm's functionality and ensure it is in good working condition before use.
- Use appropriate ammunition for your firearm and the muzzle brake.
- Maintain a safe shooting stance and be aware of your surroundings while shooting.
- After shooting, allow the muzzle brake to cool before handling, as it may become hot.

Disposal Instructions

- Dispose of the HELLFIRE 2P Muzzle Brake in accordance with local regulations.
- If the product is damaged or no longer in use, ensure that it is disposed of safely to prevent accidental use.
- Consider recycling materials where possible.

Contact Information for Further Support

For any questions or concerns regarding the HELLFIRE 2P Muzzle Brake, please consult your retailer or manufacturer. It is important to seek assistance from qualified professionals to ensure safety and compliance with local laws and regulations.

Thank you for following these safety guidelines. Your safety and the safety of others are paramount when using firearms and related accessories. Enjoy your experience with the HELLFIRE 2P Self Timing Muzzle Brake responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk