

# REMINGTON 700 LONG ACTION IMPROVED SCOPE RAIL - AREA 419

## REMINGTON 700 LONG ACTION 20 MOA FULL SLOT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

### Quality Scope Rail for Your Remington 700

The Area 419 Remington 700 Long Action Improved Scope Rail is machined in house on a 4-axis HAAS VMC from 7075 Aluminum. Straight off the mill there is not a single sharp edge left, all corners are radiused and any necessary harsh corners are chamfered. Compatible with #6 and #8 screws, no modification necessary All mating areas are 1:1 surface machined to exact profile of the Remington action for a solid fit Machined to MIL-STD-1913 Ejection port cut blends seamlessly into action and gives plenty of room for top loading ADL style rifles Type III Hardcoat Black anodized (4) 6-48 and (4) 8-40 Torx T10 screws and wrench included All screws are the same length and sized to not interfere with barrel threads, no more guessing which screw goes where The Improved Scope Rail is available in two versions: Full Slotted and ARC Top. The Full Slotted is compatible with all picatinny scope mounts including Spuhr and MPA which have a recoil lug in the center of the mount. The ARC Top is an Area 419 original design, mainly for aesthetics just to set it apart (will not work with mounts like Spuhr or MPA).



### Attributes

- Name: [AREA 419 REMINGTON 700 LONG ACTION 20 MOA FULL SLOT](#)
- Manufacturer: [AREA 419](#)
- Product no.: 100032686
- Mfr. No.: 419-ISR-R700LA-
- Action Type: Bolt Action
- Colour: Matte Black
- Elevation: 20 MOA
- Material: Aluminum
- Model: 700
- Model Number: Full
- Number of Bases: 1-Piece
- Style: Picatinny
- Weapon type: Remington
- Delivery weight: 0.075kg
- Shipping height: 203mm
- Shipping width: 25mm
- Shipping length: 25mm
- UPC: 853675008839

### Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for REMINGTON 700 LONG ACTION IMPROVED SCOPE RAIL
- About Us

# Safety Instruction Guide for REMINGTON 700 LONG ACTION IMPROVED SCOPE RAIL

## Introduction

Thank you for choosing the Area 419 Remington 700 Long Action Improved Scope Rail. This guide provides important safety instructions and guidelines to ensure the safe installation and use of your product. Please read this manual carefully before using the scope rail.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the scope rail by following all instructions and guidelines provided in this manual.
- **Enhanced Recalls:** Stay informed about any safety recalls related to this product. Regularly check the EU's Safety Gate platform for updates.
- **Online Shopping:** When purchasing online, ensure that the seller complies with safety requirements.
- **Special Consumer Focus:** Extra care should be taken when using this product around vulnerable groups, especially children.
- **EU Contact Point:** For safety inquiries, please refer to the designated EU contact provided by the manufacturer.
- **Rapid Alerts:** Be aware of updates on unsafe products through the Safety Gate system.

## Specific Safety Precautions for Use

- **Compatibility:** Ensure that the scope rail is compatible with your Remington 700 Long Action rifle model before installation.
- **Sharp Edges:** Although the product is machined to remove sharp edges, always handle with care to avoid cuts or injuries.
- **Installation:** Follow the installation instructions carefully to prevent any misalignment that may affect the performance of your rifle.
- **Screw Tightening:** Use the provided Torx T10 screws and wrench to secure the rail properly. Do not overtighten, as this may damage the rail or the rifle.
- **Inspection:** Regularly inspect the scope rail for any signs of wear or damage. If any issues are found, discontinue use immediately and contact the manufacturer.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including the provided Torx T10 wrench.
- Ensure your work area is clean and free of distractions.

### 2. Installation:

- Align the scope rail with the mounting points on your Remington 700 Long Action rifle.
- Insert the provided screws into the designated holes.
- Using the Torx T10 wrench, tighten the screws evenly. Start with the screws in the center and work your way outwards.
- Ensure that the rail is securely attached and does not move.

### 3. Usage:

- Once the rail is installed, attach your scope according to the manufacturer's instructions for the

- scope.
- Always check the alignment of the scope before heading to the range or field.

#### **4. PostInstallation Check:**

- After installation, perform a function check to ensure that the rifle operates correctly with the new scope rail.
- Verify that the ejection port cut blends seamlessly and that there is adequate room for top loading.

## **Disposal Instructions**

- Dispose of packaging materials responsibly by recycling where possible.
- If the scope rail becomes damaged beyond repair, dispose of it according to local electronic waste regulations.

## **Contact Information for Further Support**

For any inquiries regarding safety or product issues, please refer to the contact information provided by the manufacturer on the product packaging or their official website.

Thank you for your attention to these safety guidelines. Enjoy your shooting experience with the Area 419 Remington 700 Long Action Improved Scope Rail. Stay safe!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)