

# **MOS NON CO-WITNESS FIXED SIGHT SET FOR GLOCK® GEN 5 - DAWSON PRECISION MOS NON CO-WITNESS FIXED SIGHT SET FOR GLOCK GEN 5 G34**

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

This set is unique to the Glock Gen 5 G34. The Gen 5 Glock requires different sight heights due to barrel lockup and type. Product Details Dawson Competition Black Fixed Rear .225 Tall x .135 Notch Width Dawson Fiber Optic Front Sight .215 Tall x .105 Wide Ramped for Competition Easy to Install -Rear Sight Punch, Front Sight wrench, Allen Wrench and Instructions Included!



## **Attributes**

- Name: [DAWSON PRECISION MOS NON CO-WITNESS FIXED SIGHT SET FOR GLOCK GEN 5 G34](#)
- Manufacturer: [DAWSON PRECISION](#)
- Product no.: 100033576
- Mfr. No.: 310-236
- Model: Gen 5,34
- Sight Color: Black/Red
- Style: Competition,Tactical
- Weapon type: Glock
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 76mm
- Shipping length: 146mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- MOS NON COWITNESS FIXED SIGHT SET FOR GLOCK® GEN 5 CONSUMER SAFETY INSTRUCTIONS
- About Us

# MOS NON COWITNESS FIXED SIGHT SET FOR GLOCK® GEN 5 CONSUMER SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the MOS Non CoWitness Fixed Sight Set for Glock® Gen 5. This product is designed specifically for the Glock Gen 5 G34 and is intended to enhance your shooting experience. Please read this safety instruction guide carefully to ensure safe installation and usage.

## General Safety Guidelines

- Always handle firearms with care and adhere to all safety protocols.
- Ensure that the firearm is unloaded before installing or adjusting sights.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the sight set for any signs of wear or damage.
- If you notice any issues, discontinue use immediately and seek professional assistance.
- Report any unsafe product incidents to the relevant authorities.

## Specific Safety Precautions for Use

- Use only with Glock Gen 5 G34 models to ensure compatibility.
- Do not modify the sight set in any way, as this may compromise safety and performance.
- Ensure that the sight set is securely installed before use.
- Avoid using the firearm in adverse conditions (e.g., extreme temperatures, wet environments) without proper care.
- Wear appropriate eye protection while using the firearm.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather the necessary tools: Rear Sight Punch, Front Sight Wrench, Allen Wrench, and Installation Instructions.
- Ensure the firearm is unloaded and in a safe condition.

### 2. Installation:

- **Rear Sight:**
  - Use the Rear Sight Punch to gently tap the fixed rear sight into the designated slot on the slide.
  - Ensure the sight is aligned and securely in place.
- **Front Sight:**
  - Use the Front Sight Wrench to remove the existing front sight.
  - Install the Dawson Fiber Optic Front Sight by aligning it properly and tightening it securely.
- Doublecheck that both sights are installed correctly and securely.

### 3. Usage:

- After installation, test the firearm in a safe environment to ensure proper sight alignment.
- Adjust your shooting stance and technique as necessary to accommodate the new sights.

## **Disposal Instructions**

- Dispose of packaging materials and any unused or damaged parts in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check with local disposal facilities for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the MOS Non CoWitness Fixed Sight Set for Glock® Gen 5, please consult your retailer or manufacturer's website for additional support and resources.

Thank you for choosing our product, and always prioritize safety in your shooting activities.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)