

GRIP TAPE FOR GLOCK® 43X/48 - TALON GRIPS INC GRIP RUBBER BLACK FOR G43X/48 GLOCK

[Handgun Parts](#) > [Grip Parts](#) > [Grips](#)

TALON Grips for Glock model 43X and 48. This grip has full coverage on the side panels including above the thumb rest, high coverage on the backstrap, and full coverage under the trigger guard. This grip includes the graphic "GLOCK" cutout on the shooter's left and the TALON "T" on the shooter's right as well as relief cuts for the thumb rest on each side.



Attributes

- Name: [TALON GRIPS INC GRIP RUBBER BLACK FOR G43X/48 GLOCK](#)
- Manufacturer: [TALON GRIPS INC](#)
- Product no.: 100033594
- Mfr. No.: 385R
- Colour: Black
- Material: Rubber
- Model: 43X,48
- Surface: Textured
- Weapon type: Glock
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 140mm
- Shipping length: 229mm
- UPC: 812308029139

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instructions for GRIP TAPE FOR GLOCK® 43X/48
- About Us

Safety Instructions for GRIP TAPE FOR GLOCK® 43X/48

Introduction

Thank you for choosing TALON Grips for your Glock model 43X and 48. This product is designed to enhance your grip, providing increased control and comfort. To ensure safe usage and compliance with EU General Product Safety Regulation (GPSR), please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the grip tape is applied correctly to prevent any detachment during use.
- Regularly inspect the grip for wear and tear; replace if damaged.
- Keep the product out of reach of children to prevent accidental use or injury.
- Store the grip tape in a cool, dry place when not in use.
- Always follow the manufacturer's instructions for proper handling and maintenance.

Specific Safety Precautions for Use

- Do not use the grip tape if it shows signs of damage or if it has been improperly installed.
- Avoid exposing the grip tape to extreme temperatures or harsh chemicals that may degrade the material.
- Ensure the grip does not interfere with the safe operation of your firearm.
- When handling your firearm, always follow basic firearm safety rules.

Instructions for Installation and Usage

1. Preparation:

- Clean the surface of the Glock 43X or 48 where the grip tape will be applied. Use a mild cleaner and a lintfree cloth to remove any dirt, oil, or residue.

2. Application:

- Carefully peel the backing off the grip tape, taking care not to touch the adhesive surface.
- Align the grip tape with the side panels, backstrap, and trigger guard of your firearm.
- Press firmly to ensure a secure bond, smoothing out any bubbles or wrinkles as you go.

3. Final Check:

- After application, check that the grip tape is securely attached and does not obstruct any controls or mechanisms of the firearm.
- Allow the adhesive to cure for at least 24 hours before using the firearm to ensure optimal adhesion.

Disposal Instructions

- Dispose of any unused or damaged grip tape in accordance with local regulations regarding rubber waste.
- Do not incinerate the grip tape as it may release harmful substances.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of this product, please refer to the manufacturer's contact information provided with your purchase.

Conclusion

Following these safety instructions will help ensure that you use your TALON Grips safely and effectively. Always prioritize safety when handling firearms and related accessories. Thank you for choosing TALON Grips, and enjoy enhanced performance with your Glock 43X and 48.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk