

FRAME PARTS KIT FOR GLOCK® GEN 3 9MM - POLYMER80 FRAME PARTS KIT FOR GLOCK® GEN 3 9MM NO TRIGGER

[Handgun Parts](#) > [Frame Parts](#) > [Parts Kits](#)

A Complete Parts Kit Perfect for Your Pistol Build

Polymer80 made a name for itself with the company's line of partially finished, unserialized, Glock style pistol frames, giving consumers an opportunity to test their building skills by creating a usable pistol frame. Now, the company is expanding its offerings to include all of the necessary elements needed to finish a Glock-style handgun frame build in the form of the company's Glock Gen 3 Frame Parts Kit. Designed for use with all of the company's 9mm pistol frames, including the PF940c, PF940v2, PF940CL, PF904SC, the Polymer80 Glock Frame Parts Kit is also compatible with Glock's OEM 9mm pistol frames, giving consumers the parts they need to finish a G17, G19, G26 or even a G34. Every kit will include two trigger shoes, either a curved or a flat option, with the flat-faced trigger coming pre-installed onto the trigger bar. The kit also includes slide-lock springs for full-size, compact and subcompact pistols. Other components included in the Polymer80 Glock Gen 3 9mm Frame Parts Kit include a slide lock, magazine catch, magazine catch spring, slide stop, trigger housing, ejector, trigger spring, and connector.



Attributes

- Name: [POLYMER80 FRAME PARTS KIT FOR GLOCK® GEN 3 9MM NO TRIGGER](#)
- Manufacturer: [POLYMER80](#)
- Product no.: 100033734
- Mfr. No.: P80-PFP-FLTKIT
- Caliber: 9 mm (.355-.356)
- Model: 17,19,26,34,Gen 3
- Size: Compact,Fullsize,Subcompact
- Weapon type: Glock
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 76mm
- Shipping length: 152mm
- UPC: 819925020945

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for FRAME PARTS KIT FOR GLOCK® GEN 3 9MM POLYMER80
- About Us

Safety Instruction Guide for FRAME PARTS KIT FOR GLOCK® GEN 3 9MM POLYMER80

Introduction

Thank you for choosing the FRAME PARTS KIT FOR GLOCK® GEN 3 9MM POLYMER80. This guide provides essential safety instructions and information to ensure the safe use and handling of this product. Please read this guide carefully before use to understand the necessary precautions and proper installation procedures.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Ensure that the firearm is pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Store firearms and ammunition securely and out of reach of children.
- Always wear appropriate eye and ear protection when handling firearms.
- Be aware of your surroundings and ensure that you have a clear line of sight and a safe backdrop when shooting.
- Regularly inspect your firearm and its components for signs of wear or damage.
- Follow all local laws and regulations regarding firearm ownership and use.

Specific Safety Precautions for Use

- Ensure that the FRAME PARTS KIT is compatible with your specific Glock model before installation.
- Use only the parts included in the Polymer80 Glock Frame Parts Kit to avoid compatibility issues.
- Do not attempt to modify or alter any components of the FRAME PARTS KIT beyond the intended use.
- Always perform a function check after installation to ensure proper operation before use.
- Avoid using the firearm in adverse weather conditions that may affect performance, such as heavy rain or extreme temperatures.
- If you experience any malfunctions or issues, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Read all instructions thoroughly before beginning the installation process.
- Gather all necessary tools and materials.

2. Installation Steps

- Remove any existing components from your Glock frame that will be replaced by the parts in the FRAME PARTS KIT.
- Follow the specific instructions for each component included in the kit:
 - **Trigger Shoes:** Install the trigger shoe of your choice (curved or flat) onto the trigger bar.
 - **Slide Lock:** Install the slide lock according to the manufacturer's specifications.
 - **Magazine Catch:** Insert the magazine catch and ensure it is securely in place.
 - **Slide Stop:** Install the slide stop ensuring proper alignment.
 - **Ejector:** Insert the ejector into the designated slot in the frame.
 - **Trigger Housing:** Secure the trigger housing into position.
 - **Springs:** Install the appropriate slidlock springs for your frame size (fullsize, compact, or subcompact).

3. Function Check

- After installation, conduct a function check to ensure all components are working correctly.
- Verify that the trigger operates smoothly and that the slide locks into place properly.

4. Usage

- Load the firearm only when you are ready to use it.
- Always follow standard shooting practices and safety protocols.

Disposal Instructions

- Dispose of any packaging materials responsibly and in accordance with local regulations.
- If you need to dispose of any components, check with local disposal guidelines for hazardous materials.

Contact Information for Further Support

For any safety inquiries or concerns regarding the FRAME PARTS KIT FOR GLOCK® GEN 3 9MM POLYMER80, please refer to the manufacturer's contact information provided on the packaging or visit the official website.

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your FRAME PARTS KIT FOR GLOCK® GEN 3 9MM POLYMER80. Always prioritize safety and responsibility when handling firearms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk