

# ALUMINUM MOE STYLE PICATINNY RAILS - KINETIC RESEARCH GROUP ALUMINUM L2 PICATINNY RAIL

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

## MOE Mounts Make Attaching Equipment Easy

Aluminum MOE Rail: Metal Picatinny Rail with Magpul MOE hole spacing. Mounts on Whiskey-3 Chassis and X-ray chassis buttstock to allow rail mounted monopod. Also mounts on bottom of Whiskey-3 forend. Fits: Whiskey-3 Chassis forend and buttstock, X-ray buttstock. Weight: 1oz Hole Spacing: MOE L2: 1.190" MOE L3: 1.584"



## Attributes

- Name: [KINETIC RESEARCH GROUP ALUMINUM L2 PICATINNY RAIL](#)
- Manufacturer: [KINETIC RESEARCH GROUP](#)
- Product no.: 100033906
- Mfr. No.: KRG-L2A
- Delivery weight: 0.136kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 229mm

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for Aluminum MOE Style Picatinny Rails
- About Us

# Safety Instruction Guide for Aluminum MOE Style Picatinny Rails

## Introduction

Thank you for choosing the Aluminum MOE Style Picatinny Rails from Kinetic Research Group. This guide provides essential safety information and instructions for the proper use of the product. Please read this guide carefully to ensure safe and effective operation.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the product for any signs of damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Use appropriate protective gear when installing or handling the product.
- Report any unsafe conditions or incidents to the relevant authorities.

## Specific Safety Precautions for Use

- Only use the Aluminum MOE Style Picatinny Rails with compatible systems, such as the Whiskey3 Chassis and Xray chassis buttstock.
- Ensure that the rail is securely mounted before attaching any accessories.
- Do not exceed the weight limit of 1 oz when mounting accessories on the rail.
- Avoid using the product in extreme environmental conditions that may compromise its integrity.
- Regularly check the mounting screws and fittings for tightness and wear.

## Instructions for Installation and Usage

### 1. Installation:

- Identify the appropriate mounting location on the Whiskey3 Chassis or Xray buttstock.
- Align the rail with the Magpul MOE hole spacing:
  - MOE L2: 1.190"
  - MOE L3: 1.584"
- Use the provided screws to attach the rail securely. Ensure that all screws are tightened to prevent movement during use.

### 2. Usage:

- Once installed, you may attach a railmounted monopod or other compatible accessories.
- Always verify that accessories are securely attached before use.
- Regularly inspect the rail and accessories for any signs of wear or damage.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is damaged or no longer needed, consider recycling materials where applicable.
- Do not dispose of the product in regular household waste.

## Contact Information for Further Support

For any safety inquiries or further support regarding the Aluminum MOE Style Picatinny Rails, please contact the

manufacturer directly through their official communication channels.

By following these guidelines, you can ensure safe use and maximize the performance of your Aluminum MOE Style Picatinny Rails. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)