

ALUMINUM MOE STYLE PICATINNY RAILS - KINETIC RESEARCH GROUP ALUMINUM L3 PICATINNY RAIL

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

MOE Mounts Make Attaching Equipment Easy

Aluminum MOE Rail: Metal Picatinny Rail with Magpul MOE hole spacing. Mounts on Whiskey-3 Chassis and X-ray chassis buttstock to allow rail mounted monopod. Also mounts on bottom of Whiskey-3 forend. Fits: Whiskey-3 Chassis forend and buttstock, X-ray buttstock. Weight: 1oz Hole Spacing: MOE L2: 1.190" MOE L3: 1.584"



Attributes

- Name: [KINETIC RESEARCH GROUP ALUMINUM L3 PICATINNY RAIL](#)
- Manufacturer: [KINETIC RESEARCH GROUP](#)
- Product no.: 100033907
- Mfr. No.: KRG-L3A
- Delivery weight: 0.136kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 229mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Aluminum MOE Style Picatinny Rails](#)
- [About Us](#)

Safety Instruction Guide for Aluminum MOE Style Picatinny Rails

Introduction

Thank you for choosing the Aluminum MOE Style Picatinny Rails from Kinetic Research Group. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure the product is compatible with your equipment before use.
- Always inspect the product for any damage or defects before installation.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding firearm accessories.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's weight limit for mounted accessories.
- Ensure the rail is securely attached before using any mounted equipment.
- Avoid using the product in extreme weather conditions that may affect performance.
- Regularly check for wear and tear, and replace the product if any issues are found.
- Use only compatible accessories that are designed for the Picatinny rail system.

Instructions for Installation and Usage

Installation

1. **Preparation:** Gather all necessary tools, including a screwdriver and any required mounting hardware.
2. **Inspection:** Check the Aluminum MOE Rail for any signs of damage or defects.
3. **Mounting on Chassis:**
 - Align the rail with the designated mounting holes on the Whiskey3 Chassis or Xray chassis buttstock.
 - Secure the rail using the provided screws, ensuring they are tightened adequately but not overtightened to avoid damage.
4. **Mounting on Forend:**
 - Position the rail on the bottom of the Whiskey3 forend.
 - Follow the same procedure as above to secure the rail.
5. **Final Check:** After installation, ensure that the rail is firmly attached and does not move.

Usage

- Attach accessories only when the rail is securely mounted.
- Regularly check the attachment points during use to ensure they remain secure.
- Remove any mounted accessories when not in use to prevent accidental damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling options to minimize environmental impact.

Contact Information for Further Support

For any inquiries or support regarding the Aluminum MOE Style Picatinny Rails, please refer to the manufacturer's contact information provided with your product.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk