

QD SLING PLATE - KINETIC RESEARCH GROUP FLUSH MOUNT QD SLING PLATE

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

Attach Your Sling Securely

Flush Mount QD Plate on Whiskey-3 Chassis: Provides streamlined QD mounting point on Whiskey-3 and 180 series chassis forend and Spigot Mount on either side or bottom. Uses 1.190" MOE L2 hole spacing. Non-rotating. Fits: Whiskey-3 Chassis forend, 180-Alpha/180-Xray forend, Spigot Mount, INVR.



Attributes

- Name: [KINETIC RESEARCH GROUP FLUSH MOUNT QD SLING PLATE](#)
- Manufacturer: [KINETIC RESEARCH GROUP](#)
- Product no.: 100033911
- Mfr. No.: QDM-PLT
- Colour: Black
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 229mm

Item details

Made in USA

Table of Contents

- Startpage
- QD Sling Plate Safety Instructions
- About Us

QD Sling Plate Safety Instructions

Introduction

Thank you for choosing the QD Sling Plate by Kinetic Research Group. This guide provides important safety information and instructions for the proper use of your product. Please read this guide carefully to ensure safe and effective usage.

General Safety Guidelines

- Always ensure that the QD Sling Plate is properly installed before use.
- Regularly inspect the QD Sling Plate for signs of wear or damage.
- Do not exceed the weight limit specified for the QD Sling Plate to prevent failure.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the relevant authorities.
- Stay informed about potential recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure that the installation surface is clean and free from debris before attaching the QD Sling Plate.
- **Weight Limit:** Do not exceed the maximum load capacity of the QD Sling Plate. Overloading may result in failure.
- **NonRotating Feature:** Ensure that the nonrotating feature is functioning correctly to maintain stability during use.
- **Secure Attachment:** Always doublecheck that the QD Sling Plate is securely attached to the Whiskey3 Chassis or compatible forend.
- **Avoid Modifications:** Do not modify the QD Sling Plate in any way, as this may compromise safety and performance.

Instructions for Installation and Usage

1. Installation:

- Locate the appropriate mounting point on the Whiskey3 Chassis or compatible forend.
- Align the QD Sling Plate with the 1.190" MOE L2 hole spacing.
- Securely fasten the QD Sling Plate using the provided hardware.
- Ensure that the plate is flushmounted and stable before proceeding.

2. Usage:

- Attach your sling to the QD Sling Plate ensuring it is properly secured.
- When using the sling, ensure that the load is evenly distributed to prevent strain on the attachment point.
- Regularly check the attachment and the condition of the sling during use.

Disposal Instructions

- Dispose of the QD Sling Plate according to local regulations regarding electronic and nonfood product waste.
- Do not dispose of the QD Sling Plate in regular household waste. Check for recycling programs in your area.

Contact Information for Further Support

For any inquiries or support regarding the QD Sling Plate, please reach out to your retailer or Kinetic Research Group directly. They will be able to assist you with any questions or concerns you may have.

Thank you for your attention to these safety instructions. Your safety is our priority, and we hope you enjoy using your QD Sling Plate.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk