

SPIGOT MOUNTS - KINETIC RESEARCH GROUP WHISKEY-3 GEN 3+, X-RAY, BRAVO ARCA SWISS SPIGOT MOUNT

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

The Multi-Tool of Mounting Options

The Spigot Mount is the ideal solution for alternate mounting options for your Whiskey-3 Chassis, X-ray, or Bravo chassis. It features a bolt-on installation into the slot at the front of the chassis and provides a multitude of mounting options. In addition, it provides for various sling mounts, QD or otherwise, and also provides a more stable location for a bipod which is closer to the bore by about an inch and further toward the muzzle approximately five inches. Both Minimalist Spigot and full Spigot can be used in conjunction with KRG INVR barrel channel mounted NV rail. It mounts into your Whiskey-3, X-Ray or Bravo with minimal interference into the barrel channel, so larger barrel diameters can be accommodated more easily. Fits: All KRG X-ray, all Bravo, and Whiskey-3 (gen 3/2013 and newer) Can be used in conjunction with KRG Integrated Night Vision Rail (INVR). Weight: 3.5 oz. Materials/Finishes: Machined aluminum billet with mil spec hard anodize. Installation/Tools needed: Hex wrenches (metric). Forend will need to be removed and barrelled action may or may not need to be removed for installation.



Attributes

- Name: [KINETIC RESEARCH GROUP WHISKEY-3 GEN 3+, X-RAY, BRAVO ARCA SWISS SPIGOT MOUNT](#)
- Manufacturer: [KINETIC RESEARCH GROUP](#)
- Product no.: 100033915
- Mfr. No.: SPG-ARC
- Finish: Black
- Material: Aluminum
- Delivery weight: 0.172kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 229mm

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- SPIGOT MOUNTS KINETIC RESEARCH GROUP WHISKEY3 GEN 3+, XRAY, BRAVO ARCA SWISS SPIGOT MOUNT Safety Instructions
- About Us

SPIGOT MOUNTS KINETIC RESEARCH GROUP

WHISKEY3 GEN 3+, XRAY, BRAVO ARCA SWISS

SPIGOT MOUNT Safety Instructions

Introduction

Thank you for choosing the Spigot Mount designed for use with the Whiskey3, Xray, and Bravo chassis. This guide provides essential safety instructions to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- **Product Safety:** Ensure that the Spigot Mount is used only for its intended purpose as outlined in this manual.
- **Enhanced Recalls:** Stay informed about any recalls by checking the EU Safety Gate platform.
- **Online Shopping:** If purchased online, ensure that the platform complies with safety regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure it is stored safely out of their reach.
- **EU Contact Point:** For safety inquiries, please refer to the appropriate EU contact point for assistance.
- **Rapid Alerts:** Regularly check for updates on the safety status of the Spigot Mount through the Safety Gate system.

Specific Safety Precautions for Use

- **Potential Hazards:**
 - Improper installation may lead to instability during use.
 - Use of incompatible components may result in malfunction or injury.
- **Avoiding Hazards:**
 - Ensure proper installation as per the instructions provided.
 - Regularly inspect the mount for signs of wear or damage before each use.
 - Do not exceed the recommended weight limits for mounting accessories.
- **Warnings:**
 - This product is intended for adult users only.
 - Always use the mount in a safe environment, free from obstacles and hazards.

Instructions for Installation and Usage

1. **Tools Needed:**
 - Hex wrenches (metric).
2. **Installation Steps:**
 - Remove the forend from the chassis.
 - Depending on your setup, you may need to remove the barrelled action for installation.
 - Align the Spigot Mount with the slot at the front of the chassis.
 - Secure the mount using the provided bolts and hex wrenches.
 - Ensure all connections are tight and secure before use.
3. **Usage Instructions:**
 - Attach your desired accessories to the Spigot Mount, ensuring compatibility.
 - Verify that the bipod or sling is securely mounted and stable.
 - Adjust the position of the accessories as needed for optimal performance.

Disposal Instructions

- Dispose of the Spigot Mount in accordance with local regulations.
- If the product is damaged or no longer usable, ensure it is disposed of in an environmentally friendly manner.

Contact Information for Further Support

For any additional questions or concerns regarding the Spigot Mount, please refer to the appropriate EU contact point for assistance.

Thank you for your attention to these safety instructions. Enjoy the enhanced functionality and versatility of your Spigot Mount.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk