

# AR-15/M16 GAS BLOCKS - SADLAK INDUSTRIES .750 GAS BLOCK LOW PROFILE, STEEL NITRIDE

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

## Minimal Profile to Fit Under Handguard Or With Integral Accessory Rail

All of SADLAK's Gas Blocks are made in the USA by craftsmen with years of experience delivering consistent quality. All the bores are precision honed and all critical measurements are 100% inspected to insure consistency and quality. Available in a multitude of sizes and styles, Sadlak's Gas Blocks are a great option if you are building an AR or if you are just looking to upgrade. The Gas Blocks are available in .625", .750", .875", or .936". They also feature option such as Clamp-Style, Slip-On, Skeletonized, or Adjustable, and all attaching hardware is included. All Gas Blocks except for the Picatinny Rail Gas Block are Low-Profile. Finishes include Black Nitride or Manganese Phosphate. The Sadlak Gas Blocks Mounts securely to barrel with included setscrews. Clamp-on models squeeze around the barrel as you tighten the side-mounted setscrews. Slip-on models are anchored by setscrews on the underside. Low Profile fits under a free-float handguard and lets you use a longer on carbine-length barrels for a clean, streamlined look with more gripping surface. Extended Nose is like Low-Profile, but with an extended sleeve that covers taper pin holes left by the issue A2-style sight tower.



## Attributes

- Name: [SADLAK INDUSTRIES .750 GAS BLOCK LOW PROFILE, STEEL NITRIDE](#)
- Manufacturer: [SADLAK INDUSTRIES](#)
- Product no.: 100036428
- Mfr. No.: GB-100-BN
- Inside Diameter: .750
- Material: Aluminum
- Style: Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.043kg
- Shipping height: 32mm
- Shipping width: 76mm
- Shipping length: 152mm

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for SADLAK INDUSTRIES .750 Gas Block
- About Us

# Safety Instruction Guide for SADLAK INDUSTRIES .750 Gas Block

## Introduction

Thank you for choosing the SADLAK INDUSTRIES .750 Gas Block. This guide provides essential safety instructions and information to ensure the safe use and installation of your gas block. Please read this guide carefully before use.

## General Safety Guidelines

- Ensure that all safety and usage guidelines are followed to prevent accidents or injuries.
- Always handle firearms and firearm accessories with care and respect.
- Keep the gas block and all firearm components out of reach of children and unauthorized users.
- Regularly inspect the gas block for any signs of wear, damage, or defects before use.
- If you experience any issues during installation or operation, cease use immediately and seek assistance.

## Specific Safety Precautions for Use

- Always wear appropriate safety gear, including safety glasses and gloves, when handling or installing the gas block.
- Ensure that the firearm is unloaded and pointed in a safe direction before beginning any installation or maintenance work.
- Do not exceed the manufacturer's specifications for barrel dimensions and gas block compatibility.
- Be aware of the potential for sharp edges on the gas block and take care to avoid cuts or injuries.
- Ensure that the gas block is securely mounted to the barrel to prevent movement during operation.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools, including an Allen wrench, torque wrench, and any other tools specified in the installation instructions.
- Ensure that you are working in a clean, dry, and welllit area.

### 2. Installation Steps

- **ClampOn Models:**
  - Position the gas block on the barrel at the designated gas port.
  - Align the gas block with the barrel and ensure that it is level.
  - Tighten the sidemounted setscrews using an Allen wrench until secure.
- **SlipOn Models:**
  - Slide the gas block onto the barrel until it reaches the gas port.
  - Secure the gas block by tightening the setscrews located on the underside.
- **Low Profile and Extended Nose:**
  - Follow the same installation steps as above, ensuring that the gas block fits under the freefloat handguard without obstruction.

### 3. PostInstallation Checks

- Verify that the gas block is securely attached and does not move when pulled or twisted.
- Check that the gas port aligns correctly with the barrel gas port for optimal performance.

#### 4. Usage

- After installation, perform a function check of your firearm to ensure that the gas block is operating correctly.
- If any issues arise during operation, discontinue use and consult a qualified gunsmith.

## Disposal Instructions

- Dispose of the gas block in accordance with local regulations and guidelines for metal recycling.
- Do not dispose of the gas block in regular household waste.

## Contact Information for Further Support

- For any questions or concerns regarding safety, installation, or product performance, please refer to the manufacturer's website or customer service for assistance.

Thank you for your attention to safety and proper use of the SADLAK INDUSTRIES .750 Gas Block. Your careful handling and adherence to these guidelines will help ensure a safe and enjoyable experience.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)