

AR-15/M16 GAS BLOCKS - SADLAK INDUSTRIES .750 GAS BLOCK ADJUSTABLE LOPRO, STEEL, BLK PHOSPHATE

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

Minimal Profile to Fit Under Handguard Or With Integral Accessory Rail

All of SADLAK's Gas Blocks are made in the USA by craftsmen with years of experience delivering consistent quality. All the bores are precision honed and all critical measurements are 100% inspected to insure consistency and quality. Available in a multitude of sizes and styles, Sadlak's Gas Blocks are a great option if you are building an AR or if you are just looking to upgrade. The Gas Blocks are available in .625", .750", .875", or .936". They also feature option such as Clamp-Style, Slip-On, Skeletonized, or Adjustable, and all attaching hardware is included. All Gas Blocks except for the Picatinny Rail Gas Block are Low-Profile. Finishes include Black Nitride or Manganese Phosphate. The Sadlak Gas Blocks Mounts securely to barrel with included setscrews. Clamp-on models squeeze around the barrel as you tighten the side-mounted setscrews. Slip-on models are anchored by setscrews on the underside. Low Profile fits under a free-float handguard and lets you use a longer on carbine-length barrels for a clean, streamlined look with more gripping surface. Extended Nose is like Low-Profile, but with an extended sleeve that covers taper pin holes left by the issue A2-style sight tower.



Attributes

- Name: [SADLAK INDUSTRIES .750 GAS BLOCK ADJUSTABLE LOPRO, STEEL, BLK PHOSPHATE](#)
- Manufacturer: [SADLAK INDUSTRIES](#)
- Product no.: 100036430
- Mfr. No.: GB-107-AJ
- Inside Diameter: .750
- Material: Aluminum
- Style: Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 32mm
- Shipping width: 76mm
- Shipping length: 152mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for SADLAK INDUSTRIES .750 GAS BLOCK ADJUSTABLE LOPRO
- About Us

Safety Instruction Guide for SADLAK INDUSTRIES .750 GAS BLOCK ADJUSTABLE LOPRO

Introduction

Thank you for choosing the SADLAK INDUSTRIES .750 GAS BLOCK ADJUSTABLE LOPRO. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read and follow these guidelines carefully to avoid any potential hazards.

General Safety Guidelines

- Ensure that all safety precautions are followed during the installation and use of the gas block.
- This product is designed for use with AR15/M16 platforms. Ensure compatibility before use.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling tools and components.
- Keep this product out of reach of children and unauthorized individuals.
- Regularly inspect the gas block for any signs of wear or damage before use. Do not use if damaged.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's recommended specifications for barrel dimensions and gas port measurements.
- Ensure that the gas block is securely mounted to the barrel before firing.
- Avoid using excessive force when tightening the setscrews to prevent damage to the gas block or barrel.
- Be aware of the potential for hot gases and debris when firing. Ensure that the area is clear of flammable materials.
- If you experience any malfunctions or unusual behavior during use, stop immediately and inspect the gas block and associated components.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including an appropriate wrench and any other required installation tools.
- Ensure that the workspace is clean and free of obstructions.

2. Installation:

◦ ClampOn Models:

- Position the gas block over the barrel at the designated gas port.
- Align the gas block and ensure it is seated properly.
- Tighten the sidemounted setscrews evenly to secure the gas block in place.

◦ SlipOn Models:

- Slide the gas block onto the barrel until it reaches the gas port.
- Secure the gas block using the setscrews located on the underside.

◦ Low Profile Models:

- Ensure that the gas block fits under the freefloat handguard. Adjust as necessary for a

proper fit.

3. Usage:

- After installation, verify that all components are secure.
- Conduct a function check to ensure proper gas flow and operation.
- Fire the weapon in a safe environment, following all standard firearm safety practices.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the gas block is no longer usable, dispose of it as metal waste in accordance with local recycling guidelines.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any inquiries or concerns regarding the SADLAK INDUSTRIES .750 GAS BLOCK ADJUSTABLE LOPRO, please consult the manufacturer's website or contact their customer service department directly.

Conclusion

Following these safety instructions will help ensure a safe and effective experience with your SADLAK INDUSTRIES .750 GAS BLOCK ADJUSTABLE LOPRO. Always prioritize safety and remain informed about best practices for firearm accessories. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk