

AR-15/M16 GAS BLOCKS - SADLAK INDUSTRIES .750 GAS BLOCK CLAMP-STYLE W/ 1.215" HIGH PIC RAIL BLK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

Minimal Profile to Fit Under Handguard Or With Integral Accessory Rail

All of SADLAK's Gas Blocks are made in the USA by craftsmen with years of experience delivering consistent quality. All the bores are precision honed and all critical measurements are 100% inspected to insure consistency and quality. Available in a multitude of sizes and styles, Sadlak's Gas Blocks are a great option if you are building an AR or if you are just looking to upgrade. The Gas Blocks are available in .625", .750", .875", or .936". They also feature option such as Clamp-Style, Slip-On, Skeletonized, or Adjustable, and all attaching hardware is included. All Gas Blocks except for the Picatinny Rail Gas Block are Low-Profile. Finishes include Black Nitride or Manganese Phosphate. The Sadlak Gas Blocks Mounts securely to barrel with included setscrews. Clamp-on models squeeze around the barrel as you tighten the side-mounted setscrews. Slip-on models are anchored by setscrews on the underside. Low Profile fits under a free-float handguard and lets you use a longer on carbine-length barrels for a clean, streamlined look with more gripping surface. Extended Nose is like Low-Profile, but with an extended sleeve that covers taper pin holes left by the issue A2-style sight tower.



Attributes

- Name: [SADLAK INDUSTRIES .750 GAS BLOCK CLAMP-STYLE W/ 1.215" HIGH PIC RAIL BLK](#)
- Manufacturer: [SADLAK INDUSTRIES](#)
- Product no.: 100036431
- Mfr. No.: GB-140-A
- Inside Diameter: .750
- Material: Aluminum
- Style: Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 38mm
- Shipping width: 76mm
- Shipping length: 152mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instructions for SADLAK INDUSTRIES .750 Gas Block
- About Us

Safety Instructions for SADLAK INDUSTRIES .750 Gas Block

Introduction

Thank you for choosing the SADLAK INDUSTRIES .750 Gas Block. This product is designed for use in AR15/M16 platforms and is manufactured with precision and care in the USA. To ensure safe and effective use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that all safety measures are followed during the installation and use of the gas block.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling firearms and accessories.
- Keep the gas block and all related components out of reach of children and unauthorized users.
- Regularly inspect the gas block for wear or damage before each use.
- Do not exceed the manufacturer's specifications for the gas block regarding compatibility and installation.

Specific Safety Precautions for Use

- The gas block is designed for use with specific barrel diameters. Ensure that the inside diameter of your barrel matches the gas block specification of .750 inches.
- Use the included setscrews to securely attach the gas block to the barrel. Failure to do so may result in the gas block becoming loose during operation.
- Avoid using excessive force when tightening the setscrews to prevent damage to the gas block or barrel.
- If you experience any malfunction or unusual behavior during use, cease operation immediately and inspect the gas block for issues.
- Ensure that the firearm is unloaded and pointed in a safe direction when installing or adjusting the gas block.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and safe to work on.
- Gather necessary tools, including an appropriate wrench for the setscrews.

2. Installation:

- Remove any existing gas block if applicable.
- Align the gas block with the gas port on the barrel, ensuring it is centered.
- For ClampOn models:
 - Position the gas block over the barrel.
 - Tighten the sidemounted setscrews evenly to secure the gas block in place. Do not overtighten.
- For SlipOn models:
 - Slide the gas block onto the barrel until it is properly positioned.
 - Secure the gas block using the setscrews on the underside. Ensure they are tightened adequately.

3. PostInstallation Check:

- After installation, doublecheck that the gas block is securely attached and that there is no movement.
- Confirm that the gas port is aligned with the gas block.

4. Usage:

- When operating the firearm, monitor for any unusual sounds or behaviors.
- Regularly check the gas block for signs of wear or loosening during routine maintenance.

Disposal Instructions

- Dispose of the gas block in accordance with local regulations for metal recycling.
- If the gas block is damaged beyond repair, ensure it is rendered unusable before disposal to prevent accidental use.

Contact Information for Further Support

For any inquiries or concerns regarding the use of the SADLAK INDUSTRIES .750 Gas Block, please refer to the manufacturer's website or contact customer support through the provided channels.

Thank you for adhering to these safety guidelines to ensure a safe and enjoyable experience with your SADLAK INDUSTRIES product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk