

LINK ANGLED QD MOUNT - STRIKE INDUSTRIES LINK ANGLED QD MOUNT BLACK

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

Compatible with both KeyMod and MLOK, our Link Angled QD mount offers a natural push and pull installation/removal alongside the rail at 30 degrees instead of driving the QD socket 90 degrees flat into the rail. Once installed, the Link Angled QD retains an unobtrusive angle while slung to avoid binding with other firearms accessories and support hand while in the firing position.



Attributes

- Name: [STRIKE INDUSTRIES LINK ANGLED QD MOUNT BLACK](#)
- Manufacturer: [STRIKE INDUSTRIES](#)
- Product no.: 100037210
- Mfr. No.: SI-LINK-AQD-BK
- Colour: Black
- Delivery weight: 0.021kg
- Shipping height: 13mm
- Shipping width: 108mm
- Shipping length: 152mm
- UPC: 708747548235

Table of Contents

- Startpage
- LINK ANGLED QD MOUNT SAFETY INSTRUCTIONS
- About Us

LINK ANGLED QD MOUNT SAFETY INSTRUCTIONS

Introduction

Thank you for purchasing the LINK ANGLED QD MOUNT from STRIKE INDUSTRIES. This product is designed to enhance your tactical experience while ensuring safety and reliability. Please read this safety instruction guide thoroughly before use to ensure proper handling and installation.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Regularly inspect the mount for any signs of wear or damage before each use.
- Keep the mount out of reach of children and vulnerable individuals.
- Always follow local laws and regulations regarding the use of tactical accessories.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's weight limit for accessories mounted on the QD mount.
- Ensure that the mount is securely attached before use to prevent accidents.
- Avoid using the mount in extreme weather conditions that may affect its performance.
- Be cautious of sharp edges during installation and removal to prevent injury.
- Do not modify the mount in any way, as this may compromise its safety and functionality.

Instructions for Installation and Usage

Installation

1. **Select the Rail:** Choose a compatible KeyMod or MLOK rail section for installation.
2. **Position the Mount:** Align the mount at a 30degree angle to the rail for optimal performance.
3. **Secure the Mount:** Use the provided hardware to attach the mount firmly to the rail. Ensure it is tightened to prevent movement.
4. **Check Stability:** After installation, check that the mount is stable and securely attached before proceeding to use.

Usage

1. **Attachment of Accessories:** When attaching accessories, ensure they are compatible with the QD mount and within the weight limit.
2. **Slung Position:** When slung, ensure that the angle of the mount does not interfere with other accessories or your support hand.
3. **Regular Checks:** Periodically check the mount during use to ensure it remains secure and functional.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic and tactical waste.
- Do not dispose of the mount in regular household waste. Instead, utilize designated recycling facilities if available.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please reach out to the designated EU contact point provided with your purchase.

By following these safety instructions, you can ensure a safe and enjoyable experience with your LINK ANGLED QD MOUNT. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk