

# RECON QUICK DETACH SCOPE MOUNTS - AMERICAN DEFENSE MANUFACTURING 30MM 0 MOA 2" CANTILEVER MOUNT, FLAT DARK EARTH

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

## Rock-Solid Mounts With Quick-Detach System

The RECON mount is ideal for putting optics onto a flattop style AR-15. The cantilver throws the scope out front, allowing for proper eye relief. Machined from 6061 T6 Aluminum and finished in hard coat T3 Mil-Spec anodize. Features ADM's patented QD Auto Lock System to accommodate both in spec and out of spec rail systems.



## Attributes

- Name: [AMERICAN DEFENSE MANUFACTURING 30MM 0 MOA 2" CANTILEVER MOUNT, FLAT DARK EARTH](#)
- Manufacturer: [AMERICAN DEFENSE MANUFACTURING](#)
- Product no.: 100038624
- Mfr. No.: AD-RECON-30-FDE-TL
- Color: -
- Elevation: 0 MOA
- Finish: Flat Dark Earth
- Height: -
- Make: -
- Material: -
- Scope Tube Diameter: 30mm
- Style: Mount,Picatinny,Quick Detach
- Delivery weight: 0.308kg
- Shipping height: 64mm
- Shipping width: 89mm
- Shipping length: 203mm
- UPC: 810008510070

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [RECON Quick Detach Scope Mounts Safety Instruction Guide](#)
- [About Us](#)

# RECON Quick Detach Scope Mounts Safety Instruction Guide

## Introduction

Thank you for purchasing the RECON Quick Detach Scope Mount from American Defense Manufacturing. This guide provides essential safety instructions, installation guidance, and proper usage information to ensure a safe and effective experience with your product.

## General Safety Guidelines

- Always read and understand the safety instructions before using the product.
- Ensure the mount is compatible with your optics and firearm.
- Regularly inspect the mount for any signs of wear or damage.
- Do not exceed the manufacturer's weight limit for mounted optics.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding the use of firearms and optics.

## Specific Safety Precautions for Use

- Only use the RECON mount with compatible 30mm scope tubes.
- Ensure the scope is securely mounted before use to prevent accidents.
- Avoid using the mount in extreme conditions that could compromise its integrity.
- Do not attempt to modify or disassemble the mount.
- Always ensure the firearm is unloaded when attaching or detaching the scope.

## Instructions for Installation and Usage

### 1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing scope mounts if applicable.
- Align the RECON mount with the Picatinny rail on your firearm.
- Securely tighten the mount using the provided tools, ensuring it is firmly attached.
- Attach your 30mm scope to the mount, ensuring it is aligned and securely fastened.

### 2. Usage

- Once installed, check the alignment and stability of the scope.
- Use the QD Auto Lock System to detach the scope when necessary, following the manufacturer's instructions.
- Regularly check the mount's tightness and condition before each use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the mount in regular household waste.
- Contact local recycling facilities for proper disposal of aluminum materials.

## Contact Information for Further Support

For any safety inquiries or concerns about the RECON Quick Detach Scope Mount, please reach out to the

designated EU contact point provided with your product packaging.

## **Conclusion**

Your safety is our priority. By following these guidelines, you can ensure safe use of the RECON Quick Detach Scope Mount. Always stay informed about product recalls and safety updates through the EU's Safety Gate platform. Thank you for choosing American Defense Manufacturing.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)