

M-LOK QD SLING SOCKET MOUNTS FOR AR-15 - M-LOK QD SLING SWIVEL SOCKET FOR AR-15 7075-T6 ALUMINUM

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

M-LOK QD SLING SOCKET MOUNTS FOR AR-15 The Sons of Liberty Gun Works Aluminum QD Socket is designed to give you a versitle attachment point for the QD sling of your choice. Manufactured from 4140 Steel, they are backed by a Lifetime Guarantee.



Attributes

- Name: [M-LOK QD SLING SWIVEL SOCKET FOR AR-15 7075-T6 ALUMINUM](#)
- Manufacturer: [SONS OF LIBERTY GUN WORKS](#)
- Product no.: 100038773
- Mfr. No.: 7075SOCKET
- Color: Black
- Delivery weight: 0.018kg
- Shipping height: 20mm
- Shipping width: 109mm
- Shipping length: 132mm

Item details

Made in USA

Table of Contents

- Startpage
- MLOK QD Sling Socket Mounts for AR15 Safety Instruction Guide
- About Us

MLOK QD Sling Socket Mounts for AR15 Safety Instruction Guide

Introduction

Thank you for purchasing the MLOK QD Sling Socket Mounts for AR15. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read and follow these instructions carefully.

General Safety Guidelines

- Ensure that you are familiar with the operation of your firearm before using the sling mount.
- Always handle firearms safely and responsibly.
- Inspect the sling mount for any visible damage before installation.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Check for product recalls and safety updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the weight limit specified for the sling mount.
- Ensure that the sling is securely attached to the mount before use.
- Avoid using the sling mount in harsh environmental conditions that may affect its integrity.
- Regularly check the attachment point for wear and tear.
- Use the product only for its intended purpose; misuse may lead to injury or damage.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Locate the MLOK slots on your AR15.
- Align the QD sling socket mount with the MLOK slot.
- Insert the mount into the slot and secure it using the provided hardware.
- Tighten the screws until the mount is firmly in place, but do not overtighten.

2. Usage:

- Attach your QD sling swivel to the socket by pressing the release button and inserting the swivel into the socket.
- Ensure that the swivel locks into place before using the sling.
- Adjust the sling to your desired length for comfort and functionality.
- Regularly inspect the connection between the sling and the mount during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste; check for designated recycling facilities for aluminum and metal parts.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the relevant EU contact point. Ensure you have the product details ready for a more efficient response.

Thank you for your attention to these safety instructions. Enjoy your MLOK QD Sling Socket Mounts for AR15 safely and responsibly!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at