

EXTRACTOR PLUNGER AND SPRING REPLACEMENT FOR SW22™ VICTORY - EXTRACTOR PLUNGER AND SPRING REPLACEMENT SW22 VICTORY

[Handgun Parts](#) > [Action Parts](#) > [Extractor Parts](#) > [Extractor Plungers](#)

At a glance: Plunger & spring match factory specs for ideal fit Stainless steel plunger boosts durability Never let a lost or broken part derail a competition or day at the range There's nothing quite as frustrating as working on or cleaning your firearm and losing an important spring or plunger. If you've removed your SW22® Victory™ extractor or replaced it with a TANDEMROSS "Eagle's Talon" Extractor for SW22® Victory™ then you know how easy it is to lose track of the small extractor spring and plunger. Don't let a lost or broken spring or plunger derail a competition or day at the range again! Stock up on the new TANDEMROSS replacement spring and plunger for the SW22® extractor and always have the spare parts you need on hand. The plunger and spring match factory specs for an ideal fit and function. The stainless steel plunger offers more durability than the stock plunger, for longer-lasting performance. Want even more essential internals in your gun bag? Try an "Essential Maintenance" Kit for the SW22 Victory, complete with extractor, firing pin and firing pin rebound springs!



Attributes

- Name: [EXTRACTOR PLUNGER AND SPRING REPLACEMENT SW22 VICTORY](#)
- Manufacturer: [TANDEMROSS](#)
- Product no.: 100039424
- Mfr. No.: TK23N0312SSL1
- Make: Smith & Wesson
- Model: Victory 22
- Delivery weight: 0.045kg
- Shipping height: 6mm
- Shipping width: 76mm
- Shipping length: 102mm
- UPC: 769498483602

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for Extractor Plunger and Spring Replacement for SW22™ Victory
- About Us

Safety Instruction Guide for Extractor Plunger and Spring Replacement for SW22™ Victory

Introduction

Thank you for choosing the Extractor Plunger and Spring Replacement for your SW22™ Victory. This guide provides important safety information and instructions to ensure the safe and effective use of this product. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure that all safety precautions are followed when handling firearms and firearm components.
- Always treat your firearm as if it is loaded, and never point it at anything you do not intend to shoot.
- Keep all firearm components, including the extractor plunger and spring, out of reach of children and unauthorized users.
- Inspect all parts for damage or wear before installation. Do not use damaged parts.
- Store your firearm and its components in a secure location to prevent unauthorized access.
- Follow all local laws and regulations regarding firearm ownership and usage.

Specific Safety Precautions for Use

- Only use the Extractor Plunger and Spring Replacement with the SW22™ Victory model.
- Ensure that the firearm is unloaded before attempting to install or replace any components.
- Wear appropriate safety gear, including eye protection, when handling or working on firearms.
- Avoid working on your firearm in a cluttered or distracting environment.
- If you are unsure about the installation process, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is completely unloaded and the magazine is removed.
- Gather the necessary tools for installation, such as a small screwdriver and a clean workspace.

2. Remove the Old Extractor Plunger and Spring:

- Carefully disassemble the extractor mechanism according to the manufacturer's instructions.
- Remove the old plunger and spring, taking care not to lose any small parts.

3. Install the New Extractor Plunger and Spring:

- Take the new stainless steel plunger and spring from the TANDEMROSS package.
- Insert the new spring into the extractor mechanism, followed by the plunger.
- Ensure that both parts are seated properly and match the factory specifications.

4. Reassemble the Extractor Mechanism:

- Reassemble the extractor mechanism according to the manufacturer's instructions.
- Ensure that all components are securely fastened and that there are no loose parts.

5. Final Checks:

- Inspect the installation for proper alignment and function.
- Test the extractor mechanism to ensure it operates smoothly before using the firearm.

Disposal Instructions

- Dispose of any old or damaged parts in accordance with local regulations.
- Do not dispose of firearm components in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer's contact information included with the product packaging. It is important to have access to support for any questions or concerns regarding the use and safety of your product.

By following these guidelines, you can ensure the safe and effective use of your Extractor Plunger and Spring Replacement for the SW22™ Victory. Thank you for prioritizing safety in your firearm maintenance.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at