

# "GEARBOX" FOR BROWNING BUCK MARK - TANDEMROSS

## GEARBOX FOR BROWNING BUCK MARK

[Handgun Parts](#) > [Trigger Group Parts](#) > [Sear Parts](#) > [Sear Springs](#)

At a glance: Upgraded sear spring lowers trigger pull weight by .5lbs or more!\* Installation frame houses spring for easy installation and consistent sear engagement. No need to experiment with DIY spring fixes - one simple drop-in replacement! The Browning Buck Mark has a great trigger right out of the box. But if you're like many Browning Buck Mark owners, you've likely researched ways to lower the gun's trigger pull weight and adjust the feel even further. There are many DIY solutions out there, including the well-known "Heggis Flip" or Buck Mark sear spring flip. But these solutions can be complicated to perform, provide inconsistent results and can cause potentially dangerous issues with the fire control system. Put an end to DIY fixes with the new "GearBox" for Browning Buck Mark from TANDEMROSS! The "GearBox" is a simple, drop-in replacement for the factory Buck Mark sear spring that makes installation easier and lightens the trigger pull weight. The "GearBox" comes complete with a redesigned torsion spring housed in a polymer installation frame. The frame captures the spring for easy installation and then, once installed, works as a guide for the spring, ensuring proper alignment and consistent engagement with the sear. Simplify your trigger upgrades and install the TANDEMROSS "GearBox" today. Pair with a Browning Buck Mark "Victory" Trigger for ultimate performance!



### Attributes

- Name: [TANDEMROSS GEARBOX FOR BROWNING BUCK MARK](#)
- Manufacturer: [TANDEMROSS](#)
- Product no.: 100039426
- Mfr. No.: TK12N0317BLK1
- Model: Buck Mark
- Weapon type: Browning
- Delivery weight: 0.005kg
- Shipping height: 6mm
- Shipping width: 76mm
- Shipping length: 102mm
- UPC: 769498483640

### Item details

Made in USA

# Table of Contents

- Startpage
- GEARBOX for Browning Buck Mark Safety Instruction Guide
- About Us

# GEARBOX for Browning Buck Mark Safety Instruction Guide

## Introduction

Thank you for choosing the GEARBOX for Browning Buck Mark by TANDEMROSS. This product is designed to enhance your firearm's performance by lowering the trigger pull weight. To ensure safe and effective use, please read this safety instruction guide thoroughly before installation and use.

## General Safety Guidelines

- Always treat your firearm as if it is loaded, even if you believe it is not.
- Keep your firearm pointed in a safe direction at all times.
- Store your firearm and accessories securely, out of reach of children and unauthorized users.
- Always wear appropriate eye and ear protection when handling firearms.
- Be aware of your surroundings and ensure that you are in a safe environment when using your firearm.
- Follow all local laws and regulations regarding firearm ownership and use.

## Specific Safety Precautions for Use

- Ensure the GEARBOX is compatible with your Browning Buck Mark model before installation.
- Do not attempt to modify or alter the GEARBOX or any other firearm components.
- If you experience any issues during installation or use, cease operation immediately and consult a qualified gunsmith.
- Keep hands and fingers clear of the trigger and other moving parts during installation.
- Regularly inspect the GEARBOX and the firearm for signs of wear or damage. Replace components as necessary.

## Instructions for Installation and Usage

### Installation Instructions

#### 1. Preparation

- Ensure your Browning Buck Mark is unloaded and pointed in a safe direction.
- Gather necessary tools: a small screwdriver and a clean work area.

#### 2. Remove the Factory Sear Spring

- Carefully disassemble your Browning Buck Mark according to the manufacturer's instructions.
- Locate the factory sear spring and gently remove it from its housing.

#### 3. Install the GEARBOX

- Place the redesigned torsion spring into the polymer installation frame of the GEARBOX.
- Align the GEARBOX with the sear engagement point in your firearm.
- Ensure the spring is properly seated and secured in place.

#### 4. Reassemble Your Firearm

- Follow the manufacturer's instructions to reassemble your Browning Buck Mark.
- Doublecheck that all components are properly aligned and secured.

#### 5. Test the Trigger

- Once reassembled, perform a function check to ensure the trigger operates smoothly and safely.
- If you notice any issues, consult a qualified gunsmith.

## **Usage Instructions**

- After installation, familiarize yourself with the new trigger pull weight.
- Always follow safe firearm handling practices when using your Browning Buck Mark.
- Regularly maintain and clean your firearm and the GEARBOX to ensure optimal performance.

## **Disposal Instructions**

- Dispose of any old or unused components, including the factory sear spring, in accordance with local regulations.
- Do not dispose of firearms or firearm accessories in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the GEARBOX for Browning Buck Mark, please refer to the official TANDEMROSS website or contact their customer support.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your GEARBOX for Browning Buck Mark. Enjoy your enhanced shooting experience!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)