

LONG RANGE HYBRID SCOPE RINGS - HAWKINS PRECISION REMINGTON 700 SA 34MM 0.65" 25 MOA RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

There is nothing on the market that compares with the Hawkins Precision Long-Range Hybrid Rings. These lightweight rings are a direct-mount, robust, 25 MOA solution for your lightweight hunting rifle. CNC-machined in the USA out of a single billet of 6061 aluminum, the Long-Range Hybrid Rings weigh between 3oz and 4oz and feature an anti-cant level cap. These are currently available for Remington 700, Stiller, and Lone Peak actions with built in 25 MOA.



Attributes

- Name: [HAWKINS PRECISION REMINGTON 700 SA 34MM 0.65" 25 MOA RINGS](#)
- Manufacturer: [HAWKINS PRECISION](#)
- Product no.: 100039584
- Mfr. No.: 910-34-H-SA-R-1-6
- Finish: Black
- Height: 0.65"
- Material: Aluminum
- Model: 700
- Scope Tube Diameter: 34mm
- Size: High
- Style: Ringmounts
- Weapon type: Remington
- Delivery weight: 0.181kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 114mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for LONG RANGE HYBRID SCOPE RINGS
- About Us

Safety Instruction Guide for LONG RANGE HYBRID SCOPE RINGS

Introduction

Thank you for choosing the Hawkins Precision LongRange Hybrid Scope Rings. These rings are designed for safe and effective use with your Remington 700 hunting rifle. This guide provides essential safety instructions and information to ensure proper usage and compliance with EU safety regulations.

General Safety Guidelines

- Always ensure that the scope rings are compatible with your specific rifle model.
- Inspect the product for any visible damage before installation. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- Ensure the rings are securely mounted to prevent any movement during use.
- Do not exceed the recommended weight limit of the scope to avoid compromising stability.
- Avoid using the scope rings in extreme temperatures or conditions that may affect their integrity.
- Regularly check for signs of wear or loosening and retighten as necessary.

Instructions for Installation and Usage

1. **Preparation:** Gather all necessary tools, including a torque wrench, to ensure proper installation.
2. **Mounting the Rings:**
 - Place the base of the rings on the rifle's receiver.
 - Align the rings with the scope tube, ensuring they are level.
 - Securely tighten the screws using the torque wrench according to the manufacturer's specifications.
3. **Attaching the Scope:**
 - Carefully place the scope into the mounted rings.
 - Adjust the position of the scope for optimal eye relief and comfort.
 - Tighten the ring screws evenly to secure the scope in place.
4. **Final Check:**
 - Inspect the installation to ensure everything is secure and properly aligned before use.
 - Test the setup at a safe shooting range to confirm stability and accuracy.

Disposal Instructions

- Dispose of the product responsibly in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for aluminum components where available.

Contact Information for Further Support

For any questions or concerns regarding the safety and usage of the LONG RANGE HYBRID SCOPE RINGS, please refer to the manufacturer or authorized dealers. They can provide additional support and information.

Conclusion

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your Hawkins Precision LongRange Hybrid Scope Rings. Always prioritize safety and compliance with relevant regulations. Thank you for your attention to these important matters.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk