

HUNTER X-22 TAKEDOWN FOREND - MAGPUL HUNTER X-22 TAKEDOWN FOREND FOR RUGER 10/22 TAKEDOWN BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The Hunter X-22 Takedown Forend is intended for use with additional barrels on rifles currently equipped with the Hunter X-22 Takedown Stock. Made from high quality reinforced polymer, the X-22 Takedown Forend features a reversible barrel tray, ensuring proper fit for factory pencil profiles as well as heavy bull barrels with up to 0.920" outer diameter. It features multiple M-LOK® slots for accessory attachment and an adjustable barrel-tensioning shim in the forend for setting barrel preload (the barrel may also be free-floated). It also includes a dimpled drill point at the bottom of the forend for installation of sling swivel studs for bipod or sling swivel use. FEATURES Compatible with the Hunter X-22 Takedown Stock Easy exchange of different barrels for the same rifle Reversible barrel tray accepts factory and aftermarket barrels up to 0.92" OD Adjustable barrel-tensioning shim in the forend for setting barrel preload (the barrel may also be free-floated) M-LOK® slots on forend sides and bottom for a variety of accessory and sling mounting options Dimpled drill point to install optional sling swivel studs such as the Sling Swivel Stud, MAG819 Reinforced polymer construction for strength and durability Made in the U.S.A.



Attributes

- Name: [MAGPUL HUNTER X-22 TAKEDOWN FOREND FOR RUGER 10/22 TAKEDOWN BLACK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100040220
- Mfr. No.: MAG1065-BLK
- Colour: Black
- Length: 10.5
- Material: Polymer
- Model: 10/22 Takedown
- Style: M-LOK
- Weapon type: Ruger
- Delivery weight: 0.299kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 279mm
- UPC: 840815122968

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- HUNTER X22 Takedown Forend Safety Instructions
- About Us

HUNTER X22 Takedown Forend Safety Instructions

Introduction

Thank you for choosing the HUNTER X22 Takedown Forend for your Ruger 10/22 Takedown rifle. This product is designed to enhance your shooting experience while ensuring safety and compliance with EU General Product Safety Regulations (GPSR). Please read this safety instruction guide carefully before use to understand how to operate the product safely and effectively.

General Safety Guidelines

- Ensure that the HUNTER X22 Takedown Forend is compatible with your Ruger 10/22 Takedown Stock before installation.
- Always handle firearms and firearm accessories with care. Treat every firearm as if it is loaded.
- Keep the forend and all firearm components out of reach of children and unauthorized users.
- Regularly inspect the forend for signs of damage or wear. Do not use if damaged.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- Report any safety concerns or incidents related to the forend to the appropriate authorities.

Specific Safety Precautions for Use

- Do not exceed the maximum outer diameter of 0.920" for barrel installations.
- Ensure the adjustable barreltensioning shim is correctly set to avoid improper barrel preload.
- Use only approved accessories with the MLOK® slots to prevent accidents or injuries.
- When installing sling swivel studs, use the dimpled drill point carefully to avoid damaging the forend.
- Always wear appropriate safety gear, including eye protection, when using firearms equipped with the forend.

Instructions for Installation and Usage

1. **Compatibility Check:** Confirm that your Ruger 10/22 Takedown Stock is compatible with the HUNTER X22 Takedown Forend.
2. **Barrel Installation:**
 - Remove the existing forend from your rifle.
 - Select the appropriate barrel for your use, ensuring it meets the maximum outer diameter specifications.
 - Install the barrel into the reversible barrel tray of the forend.
3. **Adjust Barreltensioning Shim:**
 - Locate the adjustable barreltensioning shim in the forend.
 - Adjust it to set the desired barrel preload. Ensure the barrel is secure but may also be freefloated if preferred.
4. **Accessory Attachment:**
 - Use the MLOK® slots to attach any accessories. Ensure they are securely fastened.
5. **Sling Swivel Stud Installation:**
 - Use the dimpled drill point at the bottom of the forend to install sling swivel studs.
 - Follow the manufacturer's instructions for the sling swivel studs to ensure proper installation.
6. **Final Inspection:**
 - After installation, perform a thorough inspection of the forend and the rifle to ensure everything is correctly fitted and secure.
 - Test the functionality of the forend and accessories before use.

Disposal Instructions

- Dispose of the HUNTER X22 Takedown Forend in accordance with local regulations regarding plastic and polymer materials.
- Do not dispose of the forend in regular household waste. Check for local recycling programs that accept polymer materials.
- If the forend is damaged or no longer usable, consider contacting a local waste management facility for proper disposal options.

Contact Information for Further Support

For any inquiries regarding safety, compatibility, or product concerns, please consult the manufacturer's contact information provided with your product packaging.

Thank you for prioritizing safety while using the HUNTER X22 Takedown Forend. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk